

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
-------	--------------	-----------	---------------------	--------------------	----------------------	----------------------	----------	---------------------	----------------------	----------	----------------

**Urban Drainage and Flood Control District Maintenance Eligibility Program
Status of Projects by Local Government**

Arapahoe County

10-Sep-2015

ANTELOPE CREEK

590	Chapparal 480		<input checked="" type="checkbox"/> 12/15/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 12/15/1987	27-5S-66W			Left bank trib.to Piney Creek; "Tributary No. 2"; floodplain to be left open; old project, eligible by reason of "Grandfathering"	1/2/1991
885	Chenango		<input checked="" type="checkbox"/> 11/16/1979	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34,35-5S-66W				1/2/1991

BIG DRY CREEK (ARAPCO)

1094	Arapahoe Road Bridge		<input checked="" type="checkbox"/> 9/20/1990	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24,25-5S-68W	264+00	268+00	Big Dry Creek MP	Requires channel improvements downstream.	10/4/1990
2365	Big Dry Ck Trail at So Univ & Dry Cr		<input checked="" type="checkbox"/> 11/4/1998	<input checked="" type="checkbox"/> 11/4/1998	<input type="checkbox"/>	<input type="checkbox"/>	24,25-5S-68W				Trail improvements at South University Boulevard and low flow crossing at Dry Creek Road.	11/4/1998
21	Big Dry Creek Crossing Replacement		<input checked="" type="checkbox"/> 1/13/1995	<input checked="" type="checkbox"/> 1/13/1995	<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 4/9/1997	25-5S-68W	329+00	330+00	Big Dry Creek MP ('75)		4/9/1997
2741	Big Dry Creek Ped. Bridge at SSGC		<input checked="" type="checkbox"/> 1/23/2001	<input checked="" type="checkbox"/> 1/23/2001	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-67W					1/30/2001
2201	Big Dry Creek Trail & Sewer Crossin		<input checked="" type="checkbox"/> 9/3/1997	<input checked="" type="checkbox"/> 3/3/1998	<input checked="" type="checkbox"/> 10/1/2001	<input checked="" type="checkbox"/> 7/15/2004	24-5S-68W				Located immediately u/s of University Boulevard.	7/15/2004
178	Cherry Knolls Shopping Center		<input checked="" type="checkbox"/> 1/20/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 6/18/1986	25-5S-68W	267+00	282+00	Big Dry Creek MP	Floodplain is public park under jurisdiction of South Suburban Metro Dist; two existing storm sewer outfalls...	7/1/1986
858	Colorado Blvd. @ Big Dry Creek		<input checked="" type="checkbox"/> 2/4/1988	<input checked="" type="checkbox"/> 2/4/1988	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-68W	381+00	393+00	Big Dry Creek MP		2/4/1988
1168	deKoevend Park		<input checked="" type="checkbox"/> 5/17/1991	<input checked="" type="checkbox"/> 5/17/1991	<input checked="" type="checkbox"/> 11/6/1991	<input checked="" type="checkbox"/> 7/11/2005	23,24-5S-68W	212+00	254+00	Big Dry MP		7/11/2005
1279	deKoevend Park 1992 Bridge No. 4		<input checked="" type="checkbox"/> 9/3/1992	<input checked="" type="checkbox"/> 9/3/1992	<input checked="" type="checkbox"/> 2/17/1993	<input checked="" type="checkbox"/> 5/24/1994	24-5S-68W	250+00	255+00	Big Dry Creek MP		5/24/1994
887	D-Line Embankment Protection		<input type="checkbox"/>	<input type="checkbox"/> 8/13/1984	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-68W	188+00	189+00	Big Dry Creek MP	Gabion wall to protect sanitary sewer.	12/2/1987
143	Forest Park	Branch 2	<input checked="" type="checkbox"/> 4/13/1983	<input checked="" type="checkbox"/> 4/13/1983	<input type="checkbox"/>	<input type="checkbox"/>		331+00	338+50	Big Dry Creek MP		6/10/1986
917	Heritage Greens #6		<input checked="" type="checkbox"/> 2/15/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-67W	434+00	436+00	Big Dry Cr. MP	One storm sewer outfall to South Suburban G.C...	2/16/1988
2264	Highlands 460 Filing No. 7	B	<input checked="" type="checkbox"/> 7/2/1998	<input checked="" type="checkbox"/> 7/2/1998	<input checked="" type="checkbox"/> 12/2/2004	<input type="checkbox"/>	36-5S-67W	1547+00	1550+00	Big Dry (Arapco) MP (4/98)	One storm sewer outlet.	12/2/2004
2237	National Digital Television	Nobels Road	<input checked="" type="checkbox"/> 2/3/1998	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-67W				Development plan.	2/4/1998
2053	Nob Hill Filing No. 6	Nobles Road	<input checked="" type="checkbox"/> 5/28/1996	<input checked="" type="checkbox"/> 11/15/1996	<input checked="" type="checkbox"/> 3/30/1998	<input checked="" type="checkbox"/> 11/9/1999	30-5S-67W				5/28/96: design approved. 8/9/96: Reviewed proposed changes to approved design and they were not acceptable. 11/15/96: changes approved.	11/9/1999
160	Nobles Road Storm Sewer	Nobles Road	<input checked="" type="checkbox"/> 5/14/1985	<input checked="" type="checkbox"/> 12/11/1985	<input type="checkbox"/>	<input type="checkbox"/>	24,25-5S-68W				Eligibility requested...	6/10/1986
938	Otero Culvert Replacement	Otero	<input checked="" type="checkbox"/> 4/28/1988	<input checked="" type="checkbox"/> 6/21/1988	<input checked="" type="checkbox"/> 1/30/1989	<input type="checkbox"/>	36-5S-68W					2/2/1989
2509	Otero Tributary Sanitary Sewer Crossi	Otero	<input checked="" type="checkbox"/> 10/8/1999	<input checked="" type="checkbox"/> 10/25/1999	<input checked="" type="checkbox"/> 1/5/2001	<input type="checkbox"/>	36-5S-68W	1547+00	1547+00	Big Dry Creek FHAD		1/11/2001
2563	South Suburban Crossing @ Cherry K		<input checked="" type="checkbox"/> 3/6/2000	<input checked="" type="checkbox"/> 4/20/2000	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-67W				Reconstruction of existing low water trail crossing.	6/8/2000

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2782	South Suburban Park and Recreation		<input checked="" type="checkbox"/> 4/9/2001	<input checked="" type="checkbox"/> 4/9/2001	<input type="checkbox"/>	<input type="checkbox"/>	25,36-5S-68W			Four low water crossing replacements	4/16/2001
2567	Southgate W & S Dist Maint. Facility		<input type="checkbox"/> 3/6/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 3/6/2000				not eligible due to gabion wall proposal	3/8/2000
BOX ELDER CREEK											
1471	Colorado Mega Mix		<input type="checkbox"/> 4/27/1994	<input type="checkbox"/> 4/27/1994	<input type="checkbox"/> 4/27/1994	<input type="checkbox"/> 4/27/1994	5-4S-64W			Mining the channel bottom.	4/28/1994
2787	Watkins Farm Filing No. 1		<input checked="" type="checkbox"/> 9/12/2001	<input checked="" type="checkbox"/> 12/20/2001	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 7/15/2004	5-4S-64W	2940+00 2975+00	Box Elder OSP	10/5/00: Final plat. 4/23/01; plans & report, need design for Box Elder Creek	7/15/2004
CARDBOARD DRAW											
2701	Watkins Farm Filing No. 1		<input checked="" type="checkbox"/> 9/12/2001	<input checked="" type="checkbox"/> 12/20/2001	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 7/15/2004	5-4S-64W	67+00 97+00	Box Elder OSP	10/5/00: Final plat. 4/23/01; plans & report, need design for Cardboard Gulch	7/15/2004
CHERRY CREEK											
1496	Access Park		<input checked="" type="checkbox"/> 6/30/1994	<input checked="" type="checkbox"/> 6/30/1994	<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 9/9/1997	28-4S-67W			One storm sewer outlet.	9/9/1997
2813	Arapahoe Ind Park Cherry Ck Tree Fa		<input checked="" type="checkbox"/> 7/13/2001	<input checked="" type="checkbox"/> 9/6/2001	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W			Floodplain fringe fill and one storm sewer outfall.	10/11/2001
3631	Arapahoe Ind Park Flg 2 Rainbow Op		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/10/2012	<input checked="" type="checkbox"/> 7/10/2012	30-5S-66W			one storm sewer outfall. Repairs completed	7/10/2012
2814	Arapahoe Rd Ind Park MAACO		<input type="checkbox"/> 9/12/2001	<input type="checkbox"/> 9/12/2001	<input type="checkbox"/>	<input type="checkbox"/> 1/31/2002	30-5S-66W			The unacceptable outfall design has now been routed to an existing storm sewer/outfall.	1/31/2002
2728	Arapahoe Road Ind Park Filing 2 Lot		<input checked="" type="checkbox"/> 9/6/2001	<input checked="" type="checkbox"/> 9/6/2001	<input checked="" type="checkbox"/> 7/12/2004	<input type="checkbox"/>	30-5S-66W			Cherry Creek Tree Farm, floodplain encroachment. 11/28/00; const plans & rpt, very poor initial submittal. 4/3/01; still very poor.	7/12/2004
119	Ashbrooke		<input checked="" type="checkbox"/> 10/29/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32,33-5S-66W	1048+00 1071+00	Cherry Creek FPI		6/10/1986
118	Ashbrooke		<input checked="" type="checkbox"/> 10/29/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-66W	991+00 999+00	Cherry Creek FPI		6/10/1986
1418	Basin 14 Storm Sewer	Basin 14	<input checked="" type="checkbox"/> 12/23/1993	<input checked="" type="checkbox"/> 10/4/1994	<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 9/9/1997	28-4S-67W		Four Square Mile Area MP		9/9/1997
1228	Basin 15 Storm Sewer		<input checked="" type="checkbox"/> 2/4/1992	<input checked="" type="checkbox"/> 12/7/1992	<input checked="" type="checkbox"/> 12/7/1992	<input checked="" type="checkbox"/> 11/18/1993	28-4S-67W	478+50 478+60	Cherry Creek Stabilization Plan		11/18/1993
1078	Basin 6 Storm Sewer Project	Basin 6	<input checked="" type="checkbox"/> 6/28/1990	<input checked="" type="checkbox"/> 7/17/1990	<input checked="" type="checkbox"/> 3/6/1992	<input type="checkbox"/>	28-4S-67W	100+00 101+00	OSP Four Square Mile Area	Warranty inspection 8/11/92 punch list must be addressed.	8/31/1992
2579	Broncos Parkway Extension		<input checked="" type="checkbox"/> 10/10/2002	<input checked="" type="checkbox"/> 3/3/2003	<input checked="" type="checkbox"/> 11/29/2004	<input checked="" type="checkbox"/> 7/11/2005	32-5S-66W	1000+00 1000+00	Cherry Creek FIR	3/30/00; progress mtg to review concepts. 4/7/00; CLOMR submittal. 10/10/02; submittal now includes appropriate revetment. 1/31/03; plans & specs, minor comments.	7/11/2005
591	Chappara 480	un-named	<input type="checkbox"/> 9/17/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27-5S-66W				9/21/1987
886	Chenango	unnamed	<input checked="" type="checkbox"/> 1/23/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33,34-5S-66W				12/2/1987
861	Chenango #5	unnamed	<input checked="" type="checkbox"/> 2/19/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33,34-5S-66W				11/24/1987
1129	Cherry Cr. Trail Yale to Denver		<input type="checkbox"/> 11/2/1990	<input type="checkbox"/> 11/2/1990	<input type="checkbox"/> 11/2/1990	<input type="checkbox"/> 11/21/1990	28-5S-67W	505+00 506+00	Cherry Creek FHAD	Temp. low water trail crossing.	12/12/1990
2243	Cherry Creek Business Center Flg 5	Dove Creek	<input checked="" type="checkbox"/> 3/19/1998	<input checked="" type="checkbox"/> 3/19/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 7/16/2007	30-5S-66W			Regional detention pond diversion structure and channel confluence. Pond D-3 was repaired by DCM Program, eligible.	7/16/2007
2981	Cherry Creek Business Center Flg 14	Dove Creek	<input checked="" type="checkbox"/> 5/6/2002	<input checked="" type="checkbox"/> 5/6/2002	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W			Designscapes, one outfall. 3/11/02; const plans & rpt. 5/16/02; design ok.	5/16/2002

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2437	Cherry Creek Business Center Flg 9	Dove Creek	<input checked="" type="checkbox"/> 7/19/1999	<input checked="" type="checkbox"/> 7/19/1999	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 7/24/2001	29-5S-66W			Distinctive Tent, two outfalls 2/23/01; access, reveg, & erosion problems.	8/13/2001
2238	Cherry Creek Business Center Flgs 3	Dove Creek	<input checked="" type="checkbox"/> 2/4/1998	<input checked="" type="checkbox"/> 2/4/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 7/24/2001	30-5S-66W			Two channel outlets to Dove Creek.	8/14/2001
2576	Cherry Creek Business Ctr Flg 12		<input checked="" type="checkbox"/> 7/28/2000	<input checked="" type="checkbox"/> 7/28/2000	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W				7/28/2000
2619	Cherry Creek Colony Filing No. 1	D	<input type="checkbox"/> 6/21/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W	0+00 19+00	Cherry Creek Corridor OSP	6/21/00: FDP & final plat. Formerly part of River Run II.	6/21/2000
3098	Cherry Creek Country Club		<input checked="" type="checkbox"/> 9/25/2002	<input checked="" type="checkbox"/> 9/25/2002	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 7/22/2004	34-4S-67W	488+00 526+50	Cherry Creek FHAD	Also includes Sections 27 & 28. Approval for hree reaches of bank revetment and one storm sewer outfall only. Drops Structures 20 & 21 will be future CIP projects.	7/22/2004
1138	Cherry Creek Drive	CCV6	<input checked="" type="checkbox"/> 8/26/1991	<input type="checkbox"/> 8/26/1991	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-67W			Culvert crossing & temporary outlet protection.	8/28/1991
3843	Cherry Creek Reach 2	Valley Club Acres Tr	<input type="checkbox"/>	<input type="checkbox"/> 9/4/2015	<input type="checkbox"/>	<input type="checkbox"/>	19,0,0-5S-66W; 0,0,0--			See also MEP ID 3752 for Cherry Creek Four drop structures, low water crossing, and bank stabilization Comments Returned: 9/8/2014, 9/4/2015	9/4/2015
3752	Cherry Creek Reach 2		<input type="checkbox"/>	<input type="checkbox"/> 9/4/2015	<input type="checkbox"/>	<input type="checkbox"/>	19,0,0-5S-66W; 0,0,0--	872+00 897+50	2003 Cherry Creek Corridor Res to Scott FHAD	See also MEP ID 3843 for Valley Club Acres Tributary 9/8/2014: Reviewed 75% plans - object to drop structure selection on 2 of 4 drops 9/4/2015: Returned comments on 95% plans	9/4/2015
1196	Cherry Creek Vista #16-B	CCV6	<input checked="" type="checkbox"/> 8/28/1992	<input checked="" type="checkbox"/> 3/16/1994	<input checked="" type="checkbox"/> 5/27/1997	<input checked="" type="checkbox"/> 7/14/1997	14-5S-67W			(8/8/96) Revegetation not established. Parts of trail eroded. 5/27/97: trail reconstructed and construction approved again.	7/14/1997
137	Cottonwood Point		<input type="checkbox"/> 1/5/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28-4S-67W	479+00 486+00	Cherry Creek FHAD		6/10/1986
3123	Denver Campus for Jewish Education		<input checked="" type="checkbox"/> 5/6/2002	<input checked="" type="checkbox"/> 5/6/2002	<input checked="" type="checkbox"/> 7/15/2004	<input type="checkbox"/>	28-4S-67W			Two storm sewer outfalls to Cherry Creek.	7/15/2004
3526	Dove Creek Detention Pond D-1	Dove Creek	<input checked="" type="checkbox"/> 8/14/2008	<input checked="" type="checkbox"/> 9/22/2009	<input checked="" type="checkbox"/> 1/31/2011	<input checked="" type="checkbox"/> 6/22/2015	31-5S-66W	30+00 40+00	Lonetree et al OSP	WQ retrofit on outlet structure	6/22/2015
3480	Dove Creek Detention Pond D-2	Dove Creek	<input checked="" type="checkbox"/> 2/7/2008	<input checked="" type="checkbox"/> 1/13/2012	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W	30+00 40+00	Lonetree et al OSP	Wright Water final design, replaces previous plan approval (UD ID 3170). New SEMSWA submittal 8/6/11. comments 9/27/11. Inspected 6/19/15; not ready for CA or CME.	1/13/2012
877	Dove Valley (East Tract)	Dove Creek	<input type="checkbox"/> 5/10/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30,31-5S-66W	30+00 93+00	Dove Creek OSP	Dove Creek not considered at all in this submittal.	9/1/1988
3168	Dove Valley Chambers Road	Dove Creek	<input checked="" type="checkbox"/> 10/27/2003	<input checked="" type="checkbox"/> 10/27/2003	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W			6/4/03; plans & rpt. 8/27/03; const plans. 10/7/03; const plans.	11/4/2003
3228	Dove Valley E. Otero/S. Fairplay Stre	Dove Creek	<input checked="" type="checkbox"/> 5/10/2004	<input checked="" type="checkbox"/> 5/10/2004	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W			One roadway crossing.	5/10/2004
986	Dove Valley II	Dove Creek	<input checked="" type="checkbox"/> 1/5/1989	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W	41+00 61+00	Dove Cr. OSP	Proposal for detention differs from OSP.	1/9/1989
1158	Dove Valley Pkwy Phase II	Dove Creek	<input checked="" type="checkbox"/> 3/29/1991	<input type="checkbox"/> 6/20/1991	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W	59+50 62+50	Lone Tree et al OSP		6/21/1991
1159	Dove Valley Pkwy Phase II	Dove Creek - D-2	<input checked="" type="checkbox"/> 3/29/1991	<input type="checkbox"/> 6/20/1991	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W	27+00 29+00	Lone Tree et al OSP		6/21/1991
1221	Eagle Creek		<input checked="" type="checkbox"/> 4/7/1994	<input checked="" type="checkbox"/> 10/6/1997	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W	909+00 923+00	Cherry Creek FPI	7/3/97: Left bank fill and revetment.	10/6/1997
2469	Farm @ Arapahoe County Filing No.	unnamed	<input checked="" type="checkbox"/> 8/4/1999	<input checked="" type="checkbox"/> 8/4/1999	<input checked="" type="checkbox"/> 2/9/2001	<input checked="" type="checkbox"/> 8/25/2004	21-5S-66W			Regional Detention & WQ Basin E. 10/1/01; repair list for final acceptance issued. 5/8/03; repair list issued.	8/25/2004

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2010	Fox Crossing		<input checked="" type="checkbox"/> 11/9/1995	<input checked="" type="checkbox"/> 12/2/1996	<input checked="" type="checkbox"/> 3/30/1998	<input checked="" type="checkbox"/> 5/21/1999	34-4S-67W			Two storm sewer outlets.	5/21/1999
148	Harvard Ave. Storm Sewer	un-named	<input checked="" type="checkbox"/> 10/3/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28-4S-67W	100+50 113+20	Four Square Mile Area MP	Consideration regarding outfall channel to confluence w/Cherry Creek (FHAD Sta 478+00); Storm Sewer #14; project status questioned (8/18/86)...	8/20/1986
2792	Highline Glen Filing 2		<input checked="" type="checkbox"/> 5/21/2001	<input checked="" type="checkbox"/> 8/20/2003	<input checked="" type="checkbox"/> 7/15/2004	<input type="checkbox"/>	28-4S-67W	479+00 487+00		5/21/01; const plans & rpt. 11/26/01; need data on 5000 cfs floodplain. 3/26/03; plans & rpt.	7/15/2004
901	Hills at Cherry Creek West #2	Unnamed	<input checked="" type="checkbox"/> 11/28/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15-5S-67W				12/31/1987
972	Hunter's Run #5	Basin 16	<input checked="" type="checkbox"/> 10/27/1988	<input checked="" type="checkbox"/> 10/27/1988	<input checked="" type="checkbox"/> 5/21/1999	<input checked="" type="checkbox"/> 5/21/1999	28-4S-67W	487+00 487+10	Cherry Creek FHAD	Storm sewer outfall only.	5/21/1999
3587	Nilex Commercial Development	Dove Creek	<input type="checkbox"/> 6/29/2011	<input checked="" type="checkbox"/> 7/27/2011	<input checked="" type="checkbox"/> 11/18/2013	<input type="checkbox"/>	29,30-5S-66W			3 small outfalls. No improvement over 3/21/11 review. 2 outfalls.	11/18/2013
465	Parker Rd. Car Care Center	Outfall 2	<input checked="" type="checkbox"/> 3/17/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21-4S-67W	100+00 105+00	Four Square Mile Area MP	Regional detention pond (0.82 af) & 38"X60" HERCP per Outfall MP; interim plan to use det. facility for on-site detention; maint. elig. to be considered w/future imp...	3/23/1987
889	Quadanska		<input checked="" type="checkbox"/> 7/9/1982	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-66W	1007+50 1047+50	Cherry Creek FPI		12/2/1987
1202	RBR Auto	Dove Creek	<input type="checkbox"/> 9/24/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W	0+00 12+00	Lone Tree et. al. OSP		10/16/1991
1201	RBR Auto		<input type="checkbox"/> 9/24/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W	940+00 966+00	Cherry Creek FPI		10/16/1991
172	River Run		<input type="checkbox"/> 10/18/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29,32-5S-66W	959+00 1007+00	Cherry Creek FPI	Concept originally OK 5/22/84 but changed 10/88.	10/28/1988
2298	River Run II	Unnamed	<input checked="" type="checkbox"/> 2/15/2001	<input checked="" type="checkbox"/> 8/1/2001	<input checked="" type="checkbox"/> 2/26/2003	<input checked="" type="checkbox"/> 12/21/2005	29-5S-66W			7/22/98; concept not approved. 12/14/00; const plans & rpt, concept & detail probs. 2/15/01; const plans & rpt. 4/6/01; plans & rpt. 5/18/01; approval for road crossing only. 8/1/01; approved	12/21/2005
2624	Saunders Warehouse Subdivision		<input type="checkbox"/> 7/3/2000	<input type="checkbox"/> 7/3/2000	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W			7/3/00; report & plans, one outfall but too high on steep bank.	7/4/2000
3684	SEMSWA Office Building	Dove Creek	<input checked="" type="checkbox"/> 8/21/2013	<input type="checkbox"/> 8/21/2013	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W	30+00 40+00	Lonetree et al OSP	Two outfalls to Pond D-2 8/21/13 Plans & rpt. 1 outfall into existing drop structure and 1 outfall into existing WQ outfall SE corner of detention.	8/21/2013
2559	South Creek		<input checked="" type="checkbox"/> 3/12/1997	<input checked="" type="checkbox"/> 8/18/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 5/8/2003	32-5S-66W			See 120, floodplain preservation and two detention pond outfalls	5/8/2003
2560	South Creek Filing No. 1		<input checked="" type="checkbox"/> 3/6/2000	<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 7/19/2007	32-5S-66W			See also 2561, two outfalls to Cherry Creek overbank area Pond B approved by separate letter 3/29/01.	7/19/2007
916	Worsham	un-named	<input type="checkbox"/> 2/15/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-66W			Long conduit proposed...	2/16/1988
3528	Yale/Wabash Bridge over Cherry Cre		<input type="checkbox"/> 11/24/2009	<input checked="" type="checkbox"/> 11/24/2009	<input checked="" type="checkbox"/> 7/3/2012	<input type="checkbox"/>	28-4S-67W	480+00 495+00	Cherry Creek FHAD	bridge, trail, and 3 outfalls	7/3/2012
COAL CREEK (ARAPCO)											
935	Coal Creek Resource		<input checked="" type="checkbox"/> 2/23/1996	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 2/23/1996	11,13,14-5S-65W; 24,25,36-5S-65W			In-stream mining. Only US impacts will be on the landowner. DS impacts unknown.	3/4/1996
COON CREEK											
1402	Fox Hollow		<input checked="" type="checkbox"/> 6/20/1994	<input checked="" type="checkbox"/> 6/20/1994	<input checked="" type="checkbox"/> 8/11/1995	<input checked="" type="checkbox"/> 3/31/1997	19-5S-68W	0+00 7+00	Dutch Creek FHAD	See also ID # 1403	3/31/1997

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
COTTONWOOD CREEK (ARAP											
874	Arapahoe Business Park	unnamed	<input type="checkbox"/> 3/6/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W				12/1/1987
1430	Arapahoe Corners	Havana St. Trib.	<input checked="" type="checkbox"/> 7/22/1994	<input checked="" type="checkbox"/> 7/25/1995	<input checked="" type="checkbox"/> 11/3/1997	<input checked="" type="checkbox"/> 9/1/1998	26-5S-67W	21+00 26+00	Cottonwood Creek OSP	Channel improvements, including vertical concrete walls, and one road crossing.	9/1/1998
116	Arapahoe Partnership		<input checked="" type="checkbox"/> 2/5/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W	75+00 104+00	Piney Creek FHAD		6/10/1986
2304	Autonation	Havana	<input checked="" type="checkbox"/> 9/1/1998	<input checked="" type="checkbox"/> 3/9/2000	<input type="checkbox"/>	<input type="checkbox"/> 10/5/2001	23-5S-67W	10+00 19+50	Cottonwood OSP	9/1/98: FDP and final plat. 1/28/99: numerous design issues. 4/6/99: still needs design detail. 1/24/00; construction details. 10/5/01; Arap Co approved non-conforming design over our objections.	10/5/2001
37	Briarwood Det. Pond @ Centennial A	un-named	<input checked="" type="checkbox"/> 2/9/1987	<input checked="" type="checkbox"/> 2/9/1987	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W				12/8/1986
3593	Centennial Airport Ponds C3 and C4	Peoria St.	<input type="checkbox"/> 9/24/2011	<input checked="" type="checkbox"/> 1/13/2012	<input checked="" type="checkbox"/> 7/9/2014	<input checked="" type="checkbox"/> 7/9/2014	26-5S-67W	80+00 90+00	Cottonwood Cr. Basin OSP	Regional det pond modifications for water quality. See 1624	7/9/2014
1624	Centennial Airport Reg. Det. Ponds	Peoria St.	<input checked="" type="checkbox"/> 12/3/1996	<input checked="" type="checkbox"/> 4/18/1997	<input checked="" type="checkbox"/> 6/21/2000	<input checked="" type="checkbox"/> 11/25/2002	26-5S-67W	80+00 90+00	Cottonwood Cr. Basin OSP	Two small ponds to replace Briarwood pond.	11/21/2002
129	Cherry Creek Vista #15		<input checked="" type="checkbox"/> 5/22/1985	<input type="checkbox"/> 1/3/1990	<input checked="" type="checkbox"/> 10/28/1992	<input checked="" type="checkbox"/> 10/28/1992	23-5S-67W	26+00 47+00	Piney Creek FHAD		12/7/1992
1435	Cherry Creek Vista Filing 17		<input checked="" type="checkbox"/> 2/7/1994	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	19+50 45+00	Cottonwood Cr. FHAD		2/9/1994
2107	Cherry Creek Vista Filing No. 17		<input type="checkbox"/> 12/27/1996	<input type="checkbox"/> 5/12/1997	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W			12/27/96: One storm sewer outlet.	5/12/1997
3463	Cottonwood Creek Channel Restorati		<input checked="" type="checkbox"/> 8/23/2007	<input checked="" type="checkbox"/> 9/24/2008	<input checked="" type="checkbox"/> 3/1/2012	<input checked="" type="checkbox"/> 6/22/2015	26-5S-67W	84+00 104+00	Piney et al FHAD	8/23/07; plans & rpt. Making changes based on ACOE review. Delivered comments via phone.	6/22/2015
9	Cottonwood Creek Regional Detentio		<input checked="" type="checkbox"/> 8/18/1987	<input checked="" type="checkbox"/> 9/30/1987	<input checked="" type="checkbox"/> 9/15/1997	<input checked="" type="checkbox"/> 9/15/1997	26-5S-67W	104+00 132+00	Cottonwood Creek FHAD	10/2/02; Inverness WQ improvements are not maintenance eligible, but flood control pond remains eligible.	10/2/2002
136	Cottonwood Ct. at Inverness		<input type="checkbox"/> 4/24/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W	126+00 132+00	Piney Creek FHAD		6/10/1986
2174	Denver Family Golf Center	Peoria St.	<input checked="" type="checkbox"/> 10/17/1997	<input checked="" type="checkbox"/> 10/17/1997	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 3/1/2001	26-5S-67W	61+00 88+00	Cottonwood Cr. Basin OSP	10/2/97: Channel modifications have been made. Not eligible. 10/17/97: Two storm sewer outlets to airport detention pond design approved.	3/1/2001
1267	Dry Creek Medical Campus (Invernes	C-4	<input checked="" type="checkbox"/> 8/27/2001	<input type="checkbox"/> 8/27/2001	<input type="checkbox"/>	<input type="checkbox"/> 3/5/2001	26,27-5S-67W	5+00 26+00	Cottonwood Creek OSP	7/1/94: Phase II Drainage Study. 11/30/99: const plans. 1/24/01; constplans. 3/5/01; Mark Ericson reports project was constructed w/o our approval. 8/27/01; new submittal to repair damaged areas	8/27/2001
3314	Easter Lima		<input type="checkbox"/> 2/21/2005	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W	90+00 104+00	Piney et al FHAD	2/21/05: PP private ownership.	2/23/2005
3514	Family Sports Center	Peoria St.	<input checked="" type="checkbox"/> 12/17/2008	<input checked="" type="checkbox"/> 12/17/2008	<input checked="" type="checkbox"/> 7/23/2009	<input type="checkbox"/>	26-5S-67W	61+00 88+00	Cottonwood Cr. Basin OSP	One storm sewer outfall. Also called Denver Family Golf Center.	7/23/2009
2200	Federal Express @ Pointe South		<input checked="" type="checkbox"/> 2/19/2001	<input checked="" type="checkbox"/> 2/19/2001	<input checked="" type="checkbox"/> 2/19/2001	<input type="checkbox"/>	26-5S-67W			9/3/97: One storm sewer outlet. 10/30/97: Two storm sewer outlets. 12/3/97: non-responsive. 2/19/01; completed after-the-fact review of project.	2/19/2001
3437	Fulton Valley Professional Offices	Havana Street	<input checked="" type="checkbox"/> 2/15/2007	<input checked="" type="checkbox"/> 2/15/2007	<input checked="" type="checkbox"/> 11/12/2008	<input type="checkbox"/>	27-5S-67W			Three outfalls to regional detention pond. Previously called Rampart Business Center Prime West.	11/12/2008

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2633	Havana Sanitary Sewer Line Extensio	M-4	<input checked="" type="checkbox"/> 7/14/2000	<input checked="" type="checkbox"/> 8/14/2000	<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 7/16/2007	26-5S-67W	101+00 101+00	Cottonwood Creek OSP	For Chandelle Development, adjacent to South Lima Street between Arapahoe Road & Easter Street	7/16/2007
1120	Interstate S. Metro Havana Outfalls	unnamed	<input type="checkbox"/> 10/24/1990	<input type="checkbox"/> 10/24/1990	<input type="checkbox"/> 10/24/1990	<input type="checkbox"/> 10/24/1990	26-5S-67W			Constructed before plans approved.	11/1/1990
1019	Interstate South Metro @ Havana		<input checked="" type="checkbox"/> 8/22/1990	<input type="checkbox"/> 8/22/1990	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W				8/28/1990
950	Interstate South Metro Dist. (Lima)		<input checked="" type="checkbox"/> 8/2/1988	<input checked="" type="checkbox"/> 8/2/1988	<input checked="" type="checkbox"/> 11/9/1990	<input checked="" type="checkbox"/> 1/22/1993	26-5S-67W	87+00 95+00	Piney Creek FHAD		1/25/1993
651	Interstate South Metro District		<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 11/9/1990	<input checked="" type="checkbox"/> 1/22/1993	26-5S-67W	81+50 85+50	Piney Creek FHAD		1/25/1993
650	Interstate South Metro District		<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 11/9/1990	<input checked="" type="checkbox"/> 1/22/1993	26-5S-67W	101+00 104+00	Piney Creek FHAD		1/25/1993
819	Interstate South Metropolitan District	unnamed	<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 10/30/1987	<input checked="" type="checkbox"/> 11/9/1990	<input checked="" type="checkbox"/> 1/22/1993	26-5S-67W				1/22/1993
2308	Inverness #30	C-4	<input checked="" type="checkbox"/> 9/14/1998	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W	14+00 26+00	Cottonwood Creek OSP	FDP and replat	9/14/1998
2076	Inverness Building 76		<input checked="" type="checkbox"/> 7/18/1996	<input checked="" type="checkbox"/> 10/9/1996	<input checked="" type="checkbox"/> 10/7/1997	<input checked="" type="checkbox"/> 11/15/1999	35-5S-67W			Two storm sewer outlets.	11/17/1999
2306	Inverness Filing 26, Lot 1- Arrow Ele		<input checked="" type="checkbox"/> 9/2/1998	<input checked="" type="checkbox"/> 9/2/1998	<input checked="" type="checkbox"/> 3/25/2000	<input checked="" type="checkbox"/> 8/2/2007	26-5S-67W			one storm sewer outfall to regional detention pond.	8/2/2007
2640	Inverness Filing 26, Lot 2		<input checked="" type="checkbox"/> 10/16/2000	<input checked="" type="checkbox"/> 10/16/2000	<input checked="" type="checkbox"/> 8/2/2007	<input checked="" type="checkbox"/> 8/2/2007	26-5S-67W			one storm sewer outfall to regional detention pond. 7/25/00; poor concept. 8/23/00; same poor concept.	8/2/2007
3389	Inverness Filing 44	C	<input checked="" type="checkbox"/> 3/1/2006	<input checked="" type="checkbox"/> 3/1/2006	<input type="checkbox"/>	<input type="checkbox"/>	34-5S-67W		Cottonwood Creek OSP	One storm sewer outfall. 7/18/05; plans & rpt. 11/15/05; plans & rpt.	3/6/2006
3379	Inverness Filing 45, Villagio	C	<input checked="" type="checkbox"/> 1/5/2006	<input checked="" type="checkbox"/> 1/5/2006	<input checked="" type="checkbox"/> 7/2/2012	<input checked="" type="checkbox"/> 7/2/2012	34-5S-67W		Cottonwood Creek OSP	one storm sewer outfall. After the fact review.	7/2/2012
3485	Inverness Filing 53, Duncan Office		<input checked="" type="checkbox"/> 3/25/2008	<input checked="" type="checkbox"/> 3/25/2008	<input type="checkbox"/>	<input type="checkbox"/>	35-5S-67W			One storm sewer outlet.	3/25/2008
3518	Inverness Filing 58, Pulte Mortgage	C	<input checked="" type="checkbox"/> 1/22/2009	<input checked="" type="checkbox"/> 1/22/2009	<input checked="" type="checkbox"/> 8/24/2009	<input checked="" type="checkbox"/> 7/2/2012	26-5S-67W			Three storm sewer outfalls	7/2/2012
1974	Inverness Filing No. 17	Havana St.	<input checked="" type="checkbox"/> 4/19/1996	<input checked="" type="checkbox"/> 6/3/1996	<input type="checkbox"/>	<input type="checkbox"/>	27-5S-67W	75+00 80+50	Cottonwood Cr. OSP	Detention pond and four storm sewer outlets.	6/3/1996
2197	Inverness Filing No. 23	C-4	<input checked="" type="checkbox"/> 8/26/1997	<input checked="" type="checkbox"/> 9/17/1997	<input type="checkbox"/> 4/20/2001	<input type="checkbox"/>	26-5S-67W		Cottonwood OSP	One storm sewer outlet. 4/20/01; Still waiting on punch list completion. Site is sodded, so final can be issued as soon as minor repairs are made.	4/20/2001
2571	Inverness Filing No. 27, Lots 1 & 2		<input checked="" type="checkbox"/> 3/24/2000	<input checked="" type="checkbox"/> 7/6/2000	<input type="checkbox"/>	<input type="checkbox"/>	35-5S-67W			one storm sewer outfall	7/11/2000
3510	Inverness Iola Street Crossing	C	<input checked="" type="checkbox"/> 11/25/2008	<input checked="" type="checkbox"/> 11/25/2008	<input checked="" type="checkbox"/> 7/27/2009	<input checked="" type="checkbox"/> 7/2/2012	26-5S-67W			One roadway crossing.	7/2/2012
3709	Inverness Regional Pond		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26,0,0-5S-67W; 0,0,0--	166+00 180+00	2011 Cottonwood FHAD	Reference MEP ID#9 Cottonwood Creek Regional Detention Pond (WQ improvements not maintenance eligible, but detention basin still is) 03/24/14-Review comments 06/05/14-Review comments	6/5/2014
873	Irflor, Inc.(Cherry Creek Vista #14)		<input checked="" type="checkbox"/> 2/17/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	40+00 46+00	Cottonwood Cr. FHAD	Left bank only.	12/1/1987
155	Lincoln Executive Center #2		<input checked="" type="checkbox"/> 12/28/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	67+00 74+50	Piney Creek FHAD	Pond built as "Justin Executive Park"...	6/10/1986
156	Lincoln Executive Center #2	un-named	<input type="checkbox"/> 12/28/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 12/28/1984	23-5S-67W			Tributary in long conduit...	6/10/1986
157	Lincoln Executive Center #3	un-named	<input type="checkbox"/> 4/16/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 4/16/1985	23-5S-67W			Tributary in box culvert...	6/10/1986
158	Lincoln Executive Center #4		<input checked="" type="checkbox"/> 4/25/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	47+00 67+00	Piney Creek FHAD		6/10/1986

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
970	Lincoln Executive Center Filing 6		<input checked="" type="checkbox"/> 2/26/1999	<input checked="" type="checkbox"/> 3/24/1999	<input checked="" type="checkbox"/> 12/5/2000	<input checked="" type="checkbox"/> 5/13/2002	23-5S-67W	47+50 47+50	Cottonwood Cr. FHAD	Transwestern Flex Bldg. one storm sewer outfall. 1/15/99: existing riprap rundown must be replaced. 2/26/99: design details.	5/13/2002
2415	Lincoln Executive Center Filing No. 7		<input checked="" type="checkbox"/> 10/7/1999	<input checked="" type="checkbox"/> 10/7/1999	<input checked="" type="checkbox"/> 7/3/2001	<input checked="" type="checkbox"/> 8/14/2002	23-5S-67W	63+00 68+00	Cottonwood Creek OSP	Two outfalls to Lincoln Pond. 3/9/99: design problems. 6/28/99: some problems as before. 8/14/02: Final is for one outfall only, Phase 1. Construction of Phase 2 has not commenced.	8/14/2002
1067	Little People's Landing		<input type="checkbox"/> 5/14/1990	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	182+00 185+00	Piney Cr FHAD		5/15/1990
1457	Park at Caley/Sterling Pointe/Heron C	D-1	<input checked="" type="checkbox"/> 3/21/1994	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	25+50 32+50	Cottonwood Basin OSP	3/21/97: Storm sewer consistent with OSP. No maint. elig. expected. 9/8/97: Formerly Sterling Pointe/Heron Court.	9/8/1997
3742	Pointe South Corporate Center Flg 1		<input type="checkbox"/>	<input checked="" type="checkbox"/> 3/19/2015	<input type="checkbox"/>	<input type="checkbox"/>	26,0,0-5S-67W; 0,0,0--	168+00 168+00	2010 Cottonwood OSP	1 outfall to Cottonwood Creek 7/22/2014: Admin Site Plan reviewed & comments returned. 3/19/2015: Design approved	3/19/2015
2309	Pointe South Corporate Center Flg No	C-4	<input checked="" type="checkbox"/> 11/22/1999	<input checked="" type="checkbox"/> 12/21/1999	<input checked="" type="checkbox"/> 6/14/2001	<input checked="" type="checkbox"/> 12/21/2005	26-5S-67W	5+00 14+00	Cottonwood Creek OSP	Channel realignment, stabilization and 5 outfalls. 9/14/99: recommend against approval. 3/9/99: numerous design comments on concept and details. 11/4/99: little progress. 11/22/99: details.	12/21/2005
171	Rampart Business Center	un-named	<input checked="" type="checkbox"/> 1/21/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 1/21/1985	27-5S-67W			All drainage facilities to be privately maintained;channelization w/boulder drops proposed; Two major drainageways to be improved...	6/11/1986
969	Rampart Business Center Basin 3	A	<input type="checkbox"/> 9/22/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27-5S-67W		Cottonwood Creek Outfall Study	Concept plan only (9/22/88)	9/23/1988
1578	Rampart Business Center Filing No. 6	Havana St.	<input checked="" type="checkbox"/> 6/3/1996	<input checked="" type="checkbox"/> 6/3/1996	<input checked="" type="checkbox"/> 3/10/1997	<input checked="" type="checkbox"/> 1/22/1998	27-5S-67W	46+00 60+00	Cottonwood OSP	Two detention ponds in series.	1/22/1998
2224	Rampart Business Center Filing No. 9	Havana St.	<input checked="" type="checkbox"/> 1/13/1998	<input checked="" type="checkbox"/> 1/13/1998	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 2/24/2000	27-5S-67W			Belles & Beaus day-care center, one storm sewer outlet to previously approved channel. 11/11/97: Inadequate outlet. 12/8/97: still not adequate.	2/24/2000
2192	Rampart Business Center Parcel J	Havana	<input checked="" type="checkbox"/> 8/12/1997	<input type="checkbox"/> 8/12/1997	<input type="checkbox"/>	<input type="checkbox"/> 8/12/1997	27-5S-67W	63+00 67+50	Cottonwood Creek OSP	Project is conduit which is not eligible by definition.	8/13/1997
2177	Rampart Business Cntr Filing No. 6 L	Havana St.	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 6/8/2000	27-5S-67W			MSI Technologies, one storm sewer outlet to previously approved channel. 10/7/97: Non-responsive to previous comments.	6/8/2000
2346	Rampart Business Ctr, Flg 12, Prime	Havana Street	<input checked="" type="checkbox"/> 9/1/1999	<input checked="" type="checkbox"/> 9/1/1999	<input checked="" type="checkbox"/> 9/1/1999	<input checked="" type="checkbox"/> 11/8/2000	27-5S-67W			one outfall to regional detention pond	11/8/2000
1239	Southshore	Havana St. Trib.	<input type="checkbox"/> 4/29/1992	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-67W	27+00 30+00	Cottonwood Cr. OSP	Fill in proposed pond flood volume.	5/27/1992
1190	Vintage East	D	<input type="checkbox"/> 11/8/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	18+50 25+50	Cottonwood Creek OSP		11/11/1991
1191	Vintage East	D-2	<input type="checkbox"/> 11/8/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-67W	0+00 8+00	Cottonwood Creek OSP		11/11/1991
3240	Wal-Mart at Waterpark		<input checked="" type="checkbox"/> 9/21/2004	<input checked="" type="checkbox"/> 9/21/2004	<input checked="" type="checkbox"/> 8/2/2007	<input checked="" type="checkbox"/> 8/2/2007	26-5S-67W			One storm sewer outfall	8/2/2007
DAD CLARK GULCH											
862	Ensor Estates		<input type="checkbox"/> 8/21/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31,32-5S-68W				11/24/1987
DIRECT FLOW AREA 0068											
1125	Columbine Drainage	G	<input type="checkbox"/> 11/1/1990	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-68W	27+00 38+00	Columbine Valley OSP	Underground conduit.	11/1/1990
1126	Columbine drainage	F	<input type="checkbox"/> 11/1/1990	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-68W	25+00 30+00	Columbine Valley OSP	Underground conduit.	11/1/1990

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
DUTCH CREEK											
1437	Christensen Lane Estates Filing 2		<input checked="" type="checkbox"/> 1/20/1999	<input checked="" type="checkbox"/> 8/3/1999	<input checked="" type="checkbox"/> 4/10/2001	<input checked="" type="checkbox"/> 10/1/2002	19-5S-68W	54+00 60+00	Dutch Creek FHAD	1/20/99: Two outfalls to Dutch Creek, floodplain, stabilization and maintenance access information requested. 4/20/99: same information again requested. CLOMR support letter sent. 6/7/99: minor rev	10/1/2002
2736	Christensen Lane Estates Filing 2		<input checked="" type="checkbox"/> 12/21/2000	<input checked="" type="checkbox"/> 12/21/2000	<input checked="" type="checkbox"/> 4/10/2001	<input checked="" type="checkbox"/> 10/1/2002	19-5S-68W			Dutch Creek Channel Restoration Project, see also 1437.	10/1/2002
1403	Fox Hollow		<input checked="" type="checkbox"/> 6/20/1994	<input checked="" type="checkbox"/> 6/20/1994	<input checked="" type="checkbox"/> 8/11/1995	<input checked="" type="checkbox"/> 3/31/1997	19-5S-68W	79+00 91+50	Dutch Creek FHAD	See also ID # 1402.	3/31/1997
882	Pedicord		<input checked="" type="checkbox"/> 12/8/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-68W	59+00 64+00	Dutch Creek FHAD		12/2/1987
3007	Reifschneider		<input checked="" type="checkbox"/> 8/12/2002	<input checked="" type="checkbox"/> 10/17/2002	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-68W	68+00 71+00	Dutch Cr FHAD	7/23/02; Rezone & plat. 8/12/02; needs better FP delineation. 9/17/02: Resubmittal. 10/17/02: Resubmittal. No const. Easements only.	10/17/2002
EAST TOLL GATE CREEK											
902	Columbine East		<input type="checkbox"/> 11/24/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1-5S-66W				12/31/1987
888	East Hampden Club		<input checked="" type="checkbox"/> 1/21/1982	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1-5S-66W				12/2/1987
2150	Quincy Avenue Detention Pond		<input checked="" type="checkbox"/> 4/16/1997	<input checked="" type="checkbox"/> 4/16/1997	<input checked="" type="checkbox"/> 3/28/2006	<input checked="" type="checkbox"/> 10/10/2007	12-5S-66W			Being built by E-470.	10/10/2007
881	Quincy Highlands		<input type="checkbox"/> 7/28/1982	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12-5S-66W				12/2/1987
FIRST CREEK											
3384	American Quality Landscaping		<input checked="" type="checkbox"/> 9/20/2007	<input checked="" type="checkbox"/> 4/21/2008	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-65W	1142+00 1153+00	First Creek OSP	Needs a CLOMR & flodplain permit for existing driveway. 9/20/07. Revised roadway blockage & got permit. Still privately held FP. 10/31/07; construction plans & rpt. 2/12/08; plans & rpt.	4/21/2008
3385	American Quality Landscaping	T4	<input checked="" type="checkbox"/> 9/20/2007	<input checked="" type="checkbox"/> 4/21/2008	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-65W	0+00 18+00	First Creek OSP	1/31/06: Needs a CLOMR & flodplain permit for existing driveway. 9/20/07. Revised roadway blockage & got permit. Still privately held FP. 10/31/07; const plans & rpt. 2/12/08; plans & rpt.	4/21/2008
3676	First Creek at Jewell Ave		<input type="checkbox"/>	<input checked="" type="checkbox"/> 3/1/2012	<input type="checkbox"/>	<input type="checkbox"/>	23,26-4S-65W		First Creek OSP (1990)	culvert crossing	3/1/2012
596	Hills at Sky Ranch		<input type="checkbox"/> 7/7/2005	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4-4S-65W	1280+00 1340+00	First Creek OSP	Formerly Aurora Airpark. 3/10/87: Above u/s limit of First Creek MP; no objection to zoning. 4/3/03: Preliminary Plat and PDP. 9/15/03; PDP. 7/14/04; PDP. 7/7/05; OSP revision.	7/7/2005
3120	Hills at Sky Ranch	T9	<input type="checkbox"/> 7/7/2005	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4-4S-65W	0+00 24+00	First Creek OSP	3/10/87: X-ref MEFS 596. 4/3/03: Preliminary Plat and PDP. 9/15/03: Formerly Aurora Airpark. 7/7/05; OSP revision.	7/7/2005
597	Hills at Sky Ranch		<input type="checkbox"/> 7/7/2005	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-4S-65W	1340+00 1370+00	First Creek OSP	Formerly Aurora Airpark. 3/10/87: X-ref MEFS 596. 4/3/03: Preliminary Plat and PDP. 9/15/03; PDP. 7/14/04; PDP. 7/7/05; OSP revision.	7/7/2005
3234	Hills at Sky Ranch	T12	<input type="checkbox"/> 7/7/2005	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-4S-65W	0+00 57+00	First Creek OSP	7/14/04: PDP and prelim plat. 7/7/05; OSP revision.	7/7/2005

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
GOLDSMITH GULCH											
884	Arapahoe Lake - 84		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/9/1984	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	352+00 358+50	Goldsmith Gulch FHAD	Private maintenance effort. Orchard Ridge may also be involved.	12/2/1987
3686	Arapahoe Lake on Goldsmith		<input checked="" type="checkbox"/> 8/9/2013	<input checked="" type="checkbox"/> 10/1/2013	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W		Goldsmith Gulch FHAD	southwest cove only, main stem.type D inlet no assistance. 8/9/13 plans, need FP permit	10/1/2013
1551	Copper Terrace		<input checked="" type="checkbox"/> 11/22/1995	<input checked="" type="checkbox"/> 6/3/1996	<input checked="" type="checkbox"/> 10/7/1997	<input checked="" type="checkbox"/> 9/1/1998	22-5S-67W	372+00 377+00	Goldsmith FHAD	Channel improvements and road crossing.	9/1/1998
363	Enclave	West	<input checked="" type="checkbox"/> 2/9/1987	<input checked="" type="checkbox"/> 3/30/1987	<input checked="" type="checkbox"/> 10/28/1987	<input checked="" type="checkbox"/> 1/12/1990	22-5S-67W	34+50 37+25	Goldsmith Gulch FHAD		1/15/1990
900	Great Bear	West	<input checked="" type="checkbox"/> 7/19/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	37+25 39+50	Goldsmith Gulch FHAD	This was a restudy to account for a church built in the floodplain. For FP zoning only.	12/31/1987
870	Highlands South	West	<input type="checkbox"/> 5/16/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	53+50 61+00	Goldsmith Gulch FHAD		12/1/1987
152	Huntington Acres	West	<input checked="" type="checkbox"/> 7/9/1984	<input checked="" type="checkbox"/> 7/9/1984	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	14+50 27+50	Goldsmith Gulch FHAD	Plan for this site sets aside an area for detention on the gulch in accordance w/MP...	6/10/1986
866	Leo Jekel (The Registry)	West	<input type="checkbox"/> 1/7/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	52+50 53+50	Goldsmith Gulch FHAD	Zoning approved as of 7/22/80	11/25/1987
930	Maplewood Oaks	West	<input checked="" type="checkbox"/> 5/28/1993	<input type="checkbox"/> 5/28/1993	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	27+50 34+50	Goldsmith FHAD		6/3/1993
162	Orchard Ridge		<input type="checkbox"/> 8/7/1985	<input type="checkbox"/> 8/7/1985	<input type="checkbox"/> 8/7/1985	<input type="checkbox"/> 8/7/1985	22-5S-67W	352+00 355+00	Goldsmith Gulch FHAD	Severe floodplain encroachment on west side; trickle channel and east side by Arapahoe Lake o.k...	6/10/1986
173	Southtech	West	<input checked="" type="checkbox"/> 4/30/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	39+50 61+00	Goldsmith Gulch FHAD		6/11/1986
868	Southtech IV	West	<input checked="" type="checkbox"/> 7/9/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-67W	48+25 52+50	Goldsmith Gulch FHAD		11/25/1987
GREENWOOD GULCH											
864	Creekside @ Orchard		<input type="checkbox"/>	<input type="checkbox"/> 1/23/1981	<input type="checkbox"/>	<input type="checkbox"/> 1/23/1981	20-5S-67W	317+25 323+25	Little Dry Cr. MP	Built as Plaza Quebec in 1982.	1/2/1991
2928	Jefferson at the Orchards		<input checked="" type="checkbox"/> 2/4/2002	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20-5S-67W	309+00 317+25	Little Dry Creek MP	2/4/02: Zoning and PDP.	2/13/2002
880	Plaza Quebec		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 2/26/1982	<input type="checkbox"/>	<input type="checkbox"/>	20-5S-67W	317+25 323+50	Little Dry Creek MP	Built but eligibility procedure not followed. Could be eligible on request.	12/2/1987
863	Wagner (Little Dry)		<input type="checkbox"/> 9/28/1982	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20-5S-67W	293+50 295+50	Little Dry Cr. MP		11/24/1987
HAPPY CANYON CREEK											
140	Dove Valley		<input checked="" type="checkbox"/> 3/6/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-66W	27+00 49+50	Happy Canyon Creek FHAD		6/10/1986
876	Dove Valley (East Tract)		<input type="checkbox"/> 5/10/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-66W	27+00 49+75	Happy Canyon FHAD		12/1/1987
3739	Happy Canyon Trail and Bridge		<input type="checkbox"/>	<input type="checkbox"/> 3/23/2015	<input type="checkbox"/>	<input type="checkbox"/>	5,0,0-6S-66W; 32,0,0-5S-66W	39+50 50+00	Draft 2014 Happy Canyon Creek FHAD	Ped bridge over Happy Canyon Creek and connecting concrete trail 7/8/2014: Review and Comment on draft Construction Plans 3/23/2015: Review and comments	3/23/2015
3210	Joint Water Purification Plant		<input checked="" type="checkbox"/> 4/12/2004	<input checked="" type="checkbox"/> 2/5/2008	<input checked="" type="checkbox"/> 2/8/2011	<input type="checkbox"/>	32-5S-66W	28+00 50+00	Happy Canyon et al FHAD	4/12/04: Location & extent. 5/25/07; plans & rpt. 1/14/08; plans, rpt and floodplain study. 2/5/08; email response. Check structure, one outfall	2/8/2011
2340	Jordan Road East Bridge (South Cree		<input checked="" type="checkbox"/> 10/12/1998	<input checked="" type="checkbox"/> 4/26/2000	<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 5/8/2003	32-5S-66W	26+00 28+00	Happy Canyon Creek FHAD	See also 120. 1/15/99: design report requested, plans very preliminary. 6/24/99: revetment concepts unclear. 12/16/99: minor comments. 3/6/00: East bridge submittal is ok as noted.	5/8/2003

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2937	Jordan Road Phase 2 Improvements		<input checked="" type="checkbox"/> 1/15/2002	<input checked="" type="checkbox"/> 1/15/2002	<input checked="" type="checkbox"/> 7/11/2002	<input checked="" type="checkbox"/> 10/2/2002	32-5S-66W	26+50 26+50	Happy Canyon Creek FHAD	One storm sewer outfall. 12/31/01; const plans.	10/2/2002
2719	Jordan Road West Bridge (South Cree		<input checked="" type="checkbox"/> 1/24/2001	<input checked="" type="checkbox"/> 1/24/2001	<input checked="" type="checkbox"/> 11/29/2004	<input type="checkbox"/> 11/29/2004	32-5S-66W	27+00 27+50	Happy Canyon Creek FHAD	See also 2340. Final eligibility will be contingent upon maintenance access to the Happy Canyon Creek trail from southbound Jordan Road.	11/29/2004
120	South Creek		<input checked="" type="checkbox"/> 3/12/1997	<input checked="" type="checkbox"/> 8/18/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 5/8/2003	32-5S-66W	0+00 26+50	Happy Canyon Creek FHAD	10/29/85: Previously called Ashbrooke. 11/5/97: Preliminary plat approved. Construction plans approved for Happy Canyon Creek. 3/9/99: LOMR review letter. See also 2340 & 2559.	5/8/2003
2561	South Creek Filing No. 1		<input checked="" type="checkbox"/> 3/6/2000	<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 7/19/2007	32-5S-66W			See also 2560, two outfalls to channel.	7/19/2007
LEE GULCH											
149	Highlands		<input checked="" type="checkbox"/> 10/28/1987	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 6/6/1988	<input checked="" type="checkbox"/> 10/30/1990	35-5S-68W	210+00 219+00	Lee Gulch FHAD		11/1/1990
919	Highlands		<input checked="" type="checkbox"/> 3/15/1988	<input checked="" type="checkbox"/> 3/15/1988	<input type="checkbox"/>	<input type="checkbox"/>	35-5S-68W	217+00 217+00	Lee Gulch FHAD	Project is an outfall to Lee Gulch.	12/13/1988
3667	Highlands Baptist Church Expansion		<input type="checkbox"/> 2/21/2013	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-5S-68W	210+00 219+00	Lee Gulch FHAD	one outfall, comm 2/21/13	3/4/2013
1280	Puma Park Ped. Bridge		<input checked="" type="checkbox"/> 9/3/1992	<input checked="" type="checkbox"/> 9/3/1992	<input checked="" type="checkbox"/> 2/17/1993	<input checked="" type="checkbox"/> 5/24/1994	35-5S-68W	183+00 186+00	Lee Gulch OSP		5/24/1994
LITTLE DRY CREEK (ARAPCO)											
883	Arapahoe Forest	Liberty Hill	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/17/1982	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W				12/2/1987
872	Arapahoe Plaza East	unnamed	<input type="checkbox"/> 8/15/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28-5S-67W				12/1/1987
2129	Carriage Gate	Liberty Hill	<input checked="" type="checkbox"/> 2/10/1997	<input checked="" type="checkbox"/> 4/6/1998	<input checked="" type="checkbox"/> 11/13/2000	<input type="checkbox"/> 2/23/2001	19-5S-67W			Grade control structures and one storm sewer outlet. 2/23/01; inadequate vegetative cover.	2/23/2001
82	Christian Living Campus	Liberty Hill	<input checked="" type="checkbox"/> 3/3/1988	<input checked="" type="checkbox"/> 3/3/1988	<input checked="" type="checkbox"/> 10/18/1993	<input type="checkbox"/>	30-5S-67W				10/19/1993
1504	Christian Living Campus	Liberty Hill	<input checked="" type="checkbox"/> 8/24/1994	<input checked="" type="checkbox"/> 8/24/1994	<input checked="" type="checkbox"/> 7/7/1997	<input checked="" type="checkbox"/> 4/29/1998	30-5S-67W			One drop structure.	4/29/1998
135	Colorado Blvd Bridge		<input checked="" type="checkbox"/> 10/10/1985	<input checked="" type="checkbox"/> 7/14/1987	<input checked="" type="checkbox"/> 7/14/1987	<input checked="" type="checkbox"/> 7/14/1987	19-5S-67W	379+00 381+00	Little Dry Creek MP	Involves projects by Arapco & South Suburban Park Dist.	7/14/1987
1321	Country Village/Arapahoe Commons	Liberty Hill	<input checked="" type="checkbox"/> 4/14/1993	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W				4/22/1993
147	Georgetown Village		<input checked="" type="checkbox"/>	<input type="checkbox"/> 2/5/1982	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W	409+00 437+00	Little Dry Creek MP		6/10/1986
146	Georgetown Village	Liberty Hill	<input checked="" type="checkbox"/>	<input type="checkbox"/> 2/5/1982	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W				6/10/1986
1483	Little Dry Creek Trail		<input checked="" type="checkbox"/> 5/13/1994	<input checked="" type="checkbox"/> 5/13/1994	<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 9/9/1997	19-5S-67W	358+00 380+00	Little Dry Cr. MP (1974)	Recreation trail by South Suburban.	9/9/1997
2341	Manorcare Health Services		<input type="checkbox"/> 7/15/1998	<input type="checkbox"/> 7/15/1998	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W				10/7/1998
161	Orchard Meadows		<input checked="" type="checkbox"/> 10/25/1983	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W	359+00 365+00	Little Dry Creek MP		6/10/1986
1171	Orchard Meadows Trail & Bridge		<input type="checkbox"/> 6/20/1991	<input type="checkbox"/> 6/20/1991	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W	360+00 365+00	Little Dry Creek MP		6/21/1991
2530	Stonegate W & S District Facility		<input type="checkbox"/> 11/24/1999	<input type="checkbox"/> 11/24/1999	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W			Bank stabilization using gabions, which are not maint. Eligible.	12/21/1999
LITTLE'S CREEK											
842	Arapahoe Highlands		<input checked="" type="checkbox"/> 9/28/1984	<input checked="" type="checkbox"/> 5/22/1989	<input checked="" type="checkbox"/> 5/22/1989	<input checked="" type="checkbox"/> 10/11/1993	35-5S-68W	218+50 226+00	Little Creek FHAD	Rosso says they've been maintaining for three years.	10/11/1993
84	Capital Imprvts-Little Cr		<input checked="" type="checkbox"/> 5/12/1986	<input type="checkbox"/> 5/12/1986	<input type="checkbox"/>	<input type="checkbox"/>	26,27-5S-68W	144+00 176+00	Lee Gulch MP		6/10/1986
85	Capital Imprvts-Little Cr		<input checked="" type="checkbox"/> 5/12/1986	<input type="checkbox"/> 5/12/1986	<input type="checkbox"/>	<input type="checkbox"/>	26-5S-68W	204+00 210+00	Lee Gulch MP	Detention Pond	6/10/1986

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
LONE TREE CREEK											
2110	ACWWA Lone Tree Creek Channel		<input checked="" type="checkbox"/> 1/17/1997	<input checked="" type="checkbox"/> 2/27/1997	<input checked="" type="checkbox"/> 9/17/1997	<input type="checkbox"/> 10/19/2004	24-5S-67W	40+00 49+50	Lone Tree OSP	See final repair list dated 10/19/04.	10/19/2004
115	Arapahoe Airport Center		<input checked="" type="checkbox"/> 2/25/1981	<input checked="" type="checkbox"/> 2/25/1981	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-67W	56+00 108+00	Piney Creek FHAD		6/10/1986
2272	Arapahoe Airport Center 19 (Knott La		<input checked="" type="checkbox"/> 6/16/1998	<input checked="" type="checkbox"/> 8/7/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 2/26/2001	25-5S-67W			One storm sewer outfall.	2/23/2001
2553	Arapahoe Airport Center Filing No 24		<input checked="" type="checkbox"/> 2/24/2000	<input type="checkbox"/> 2/24/2000	<input type="checkbox"/>	<input type="checkbox"/> 5/4/2000	25-5S-67W			temporary facilities	6/8/2000
1644	Arapahoe Airport Center Filing No. 1		<input checked="" type="checkbox"/> 7/14/1995	<input checked="" type="checkbox"/> 7/14/1995	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 3/15/2000	25-5S-67W			One storm sewer outlet.	3/15/2000
2353	Arapahoe Airport Ctr Koll Centennial		<input checked="" type="checkbox"/> 10/16/1998	<input checked="" type="checkbox"/> 8/3/1999	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 5/30/2001	25-5S-67W			two storm sewer outfalls, 10/16/98: construction plans do not include appropriate details. 6/28/99: detail problems.	5/30/2001
2344	Arapahoe Airport Ctr, Flg 1 Blk 2 Lot		<input type="checkbox"/> 7/15/1998	<input type="checkbox"/> 7/15/1998	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-67W			Extended Stay America	10/7/1998
2347	Arapahoe Airport Ctr, Flg 2, Pegasus		<input checked="" type="checkbox"/> 5/5/1998	<input checked="" type="checkbox"/> 5/5/1998	<input checked="" type="checkbox"/> 3/8/2000	<input type="checkbox"/>	25-5S-67W			two storm sewer outfalls, see also 2460, 2461 & 2838	4/4/2000
546	Arapahoe W & S @ Lone Tree Cr.		<input type="checkbox"/> 9/16/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W	21+00 27+00	Piney Cr. FHAD		9/23/1988
3589	Broncos Parkway Widening		<input type="checkbox"/> 2/10/2010	<input checked="" type="checkbox"/> 3/30/2010	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-67W			water quality swale, one outfall, comments 6/8/11	5/23/2011
2350	Castlewood Filing 5		<input checked="" type="checkbox"/> 10/15/1998	<input checked="" type="checkbox"/> 10/13/1999	<input checked="" type="checkbox"/> 4/10/2001	<input checked="" type="checkbox"/> 5/8/2003	24-5S-67W			10/15/98: two storm sewer outfalls, see also 2351 & 2545. 4/8/99: const details need work.	5/8/2003
2545	Castlewood Filing No. 5 Lot 1 Blk 3		<input checked="" type="checkbox"/> 1/27/2000	<input checked="" type="checkbox"/> 6/8/2000	<input checked="" type="checkbox"/> 6/19/2001	<input type="checkbox"/> 5/14/2002	25-5S-67W			See also 2350, four outfalls to Pond L-3 6/8/00; minor comments. 5/14/02; repairs needed.	5/14/2002
123	Castlewood Plaza		<input type="checkbox"/> 4/2/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W	15+00 55+00	Piney Creek FHAD	Master Drainage Study concept feasibility questioned...	6/10/1986
142	Dove Valley Business Park		<input type="checkbox"/> 12/18/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-67W	112+00 135+00	Piney Creek FHAD	Zoned F(3/6/84);	12/22/1986
2718	Dove Valley Business Park E. Jamiso		<input checked="" type="checkbox"/> 5/14/2003	<input checked="" type="checkbox"/> 6/24/2003	<input checked="" type="checkbox"/> 2/20/2004	<input checked="" type="checkbox"/> 7/9/2007	36-5S-67W			Culvert crossing, stream stabilization and drop structure.	7/16/2007
3140	Dove Valley Business Park Filing 21		<input checked="" type="checkbox"/> 6/24/2003	<input checked="" type="checkbox"/> 6/24/2003	<input checked="" type="checkbox"/> 7/10/2012	<input checked="" type="checkbox"/> 7/10/2012	36-5S-67W			Lone Tree Creek Industrial Center, see also 2718. Two storm sewer outfalls and stream channelization. 5/14/03; plans & rpt.	7/10/2012
2342	Dove Valley Business Park, Lot 37		<input checked="" type="checkbox"/> 6/11/1998	<input checked="" type="checkbox"/> 12/11/1998	<input checked="" type="checkbox"/> 11/1/1999	<input checked="" type="checkbox"/> 8/23/2002	36-5S-67W			Sunstate Equipment Co. 6/11/98: FDP ok, rundown not acceptable. 8/13/98: plans still shown unacceptable rundown. 10/7/98: problems w/outfall. 11/4/98: minor revisions.	8/23/2002
3517	Dove Valley Filing 17, Big Horn		<input checked="" type="checkbox"/> 1/22/2009	<input checked="" type="checkbox"/> 1/22/2009	<input checked="" type="checkbox"/> 4/9/2009	<input type="checkbox"/>	36-5S-67W			One storm sewer outfall.	4/9/2009
871	Interceptors on Lone Tree & Cottonw		<input type="checkbox"/> 6/6/1980	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W	21+00 27+50	Lone Tree Cr. FHAD		12/1/1987
381	Landing at Centennial Airport		<input checked="" type="checkbox"/> 7/18/1986	<input checked="" type="checkbox"/> 2/10/1987	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-67W	150+00 158+00	Piney Creek FHAD	Detention pond only; pipes privately owned...	10/1/1986
3523	Lone Tree Creek Pond L-1 East		<input checked="" type="checkbox"/> 12/2/2008	<input checked="" type="checkbox"/> 4/29/2009	<input checked="" type="checkbox"/> 12/7/2011	<input checked="" type="checkbox"/> 7/2/2012	36-5S-67W			12/02/08; plans & rpt. 3/03/09; plans & rpt. 4/21/09; email response. Centennial Airport.	7/2/2012
3525	Lone Tree Creek Pond L-1 West		<input checked="" type="checkbox"/> 8/13/2009	<input checked="" type="checkbox"/> 5/27/2010	<input checked="" type="checkbox"/> 12/7/2011	<input checked="" type="checkbox"/> 7/29/2015	36-5S-67W			Rehab plans to render eligible. 8/13/09; plans.	7/29/2015

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2038	Oppenheimer Funds Phase 1		<input checked="" type="checkbox"/> 2/26/1996	<input checked="" type="checkbox"/> 6/21/1996	<input checked="" type="checkbox"/> 7/7/1997	<input type="checkbox"/>	25-5S-67W			Three storm sewer outlets.	7/7/1997
2123	Oppenheimer Funds Phase 2		<input type="checkbox"/> 2/10/1997	<input type="checkbox"/> 6/2/1997	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-67W			Three storm sewer outlets.	6/2/1997
2235	Panache Events Center		<input checked="" type="checkbox"/> 3/13/1998	<input checked="" type="checkbox"/> 3/13/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 3/8/2000	25-5S-67W			One outlet to the channel.	3/8/2000
867	Southfield Park		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/5/1981	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W	40+00 55+00	Lone Tree Cr. FHAD	File name: Industrial Park @ Arapahoe Rd.	11/25/1987
2120	Southfield Park Lot 4 Block 7		<input checked="" type="checkbox"/> 1/30/1997	<input checked="" type="checkbox"/> 4/10/1997	<input checked="" type="checkbox"/> 11/1/1999	<input checked="" type="checkbox"/> 12/3/1999	24-5S-67W			One storm sewer outlet. 4/27/98: Const complete but substandard. See Boyle report. 11/1/99: rebuilt, now ok.	12/3/1999
2099	Spiral Denver		<input checked="" type="checkbox"/> 11/25/1996	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-67W	126+50 134+00	Lone Tree OSP	Contains some ROW for future detention pond L-1.	11/25/1996
MURPHY CREEK											
3358	Arapahoe County Fair Grounds		<input checked="" type="checkbox"/> 7/27/2005	<input checked="" type="checkbox"/> 5/21/2015	<input type="checkbox"/>	<input type="checkbox"/>	8-5S-65W	361+50 369+00	Piney et al FHAD	7/27/05: Location & extent. Leaving FP in park space.	5/21/2015
3747	Arapahoe County Fairgrounds Park		<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/21/2015	<input type="checkbox"/>	<input type="checkbox"/>	8,0,0-5S-65W; 0,0,0--	508+30 508+30	2008 Murphy Creek OSP	Includes Brett Gulch too. 8/19/2014: Plans & rpt for outfall to Murphy Creek and future plans for crossing at Brett Gulch 3/5/2015: Returned comments on Murphy Creek outfall pipe and check structure per OSP. 5/21/2015: Design Approved	5/21/2015
3105	Denver Arapahoe Disposal Site		<input checked="" type="checkbox"/> 3/3/2003	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5-5S-65W	335+00 361+00	Piney et.al. FHAD	3/3/03: Rezoning.	3/3/2003
613	Smith Mining Site		<input checked="" type="checkbox"/> 4/21/1988	<input checked="" type="checkbox"/> 4/21/1988	<input type="checkbox"/>	<input type="checkbox"/>	11-4S-66W	0+00 1+00	Piney Cr. FHAD		4/27/1988
2946	St Simeon Cemetery		<input type="checkbox"/> 2/14/2002	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-4S-66W	43+50 80+00	Piney et.al. FHAD	2/14/02: letter from Martin/Martin.	3/7/2002
MUSKRAT GULCH											
2665	WorldPark	several	<input type="checkbox"/> 8/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12,13,24-4S-65W	0+00 162+00	Upper Box Elder OSP	8/16/00: Zoning.	8/17/2000
Need to Add Name											
2662	WorldPark		<input type="checkbox"/> 8/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1-4S-65W	410+00 513+00	Upper Box Elder OSP	8/16/00: Zoning.	8/17/2000
NO NAME CREEK											
2397	Bellevue Avenue Detention Pond		<input checked="" type="checkbox"/> 2/4/1999	<input checked="" type="checkbox"/> 10/4/1999	<input checked="" type="checkbox"/> 12/5/2000	<input checked="" type="checkbox"/> 2/26/2001	12-5S-66W			conforms to ECCV masterplan for regional detention. 9/7/99: design details.	2/23/2001
2296	Bluffs at Saddle Rock Ridge	Tributary A	<input checked="" type="checkbox"/> 8/17/1999	<input checked="" type="checkbox"/> 8/17/1999	<input type="checkbox"/> 9/21/2001	<input type="checkbox"/>	13-5S-66W			See also 2482. 7/6/98: Final plat & FDP. 8/12/98: 2 storm sewer outlets. 3/17/99: Saddle Rock Ridge outfall must be approved. 4/28/99: Still no submittal for Saddle Rock Ridge. 9/21/01; see ltr	10/5/2001
3291	Bristlecone	Unnamed	<input checked="" type="checkbox"/> 2/9/2005	<input checked="" type="checkbox"/> 3/10/2005	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W	38+00 67+00	Upper Toll Gate Cr. OSP	Part of Saddle Rock Highlands (Lot 2, Blk 24, Filing 1), see 3101. 11/10/04; plans & rpt. 2/9/05; erosion control concerns	3/10/2005
127	Cherry Creek High School #4		<input checked="" type="checkbox"/> 1/4/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12,13-5S-66W			West Toll Gate Creek basin; no encroachment proposed; no improvements proposed by H.S.; x-ref Park View Terrace & ECCV MP...	6/10/1986
3253	Copperleaf	West Branch	<input checked="" type="checkbox"/> 8/17/2004	<input checked="" type="checkbox"/> 3/28/2007	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			8/17/04: PDP 11/21/05; plans & rpt. 5/18/06; plans & rpt.	3/28/2007

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3254	Copperleaf	East Branch	<input checked="" type="checkbox"/> 8/17/2004	<input checked="" type="checkbox"/> 3/28/2007	<input type="checkbox"/>	<input type="checkbox"/>	11,12-5S-66W			8/17/04: PDP 11/21/05; plans & rpt. 5/18/06; plans & rpt.	3/28/2007
3252	Copperleaf		<input checked="" type="checkbox"/> 8/17/2004	<input checked="" type="checkbox"/> 3/28/2007	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			8/17/04: PDP 11/21/05; plans & rpt. 5/18/06; plans & rpt.	3/28/2007
3421	Copperleaf Filing 4 (Parcel J)		<input checked="" type="checkbox"/> 11/9/2006	<input checked="" type="checkbox"/> 9/10/2007	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			One outfall to Quincy Pond. 11/9/06; plans & rpt. 5/25/07; plans & rpt.	9/10/2007
3697	Copperleaf Filing 4 (Parcel J)		<input checked="" type="checkbox"/> 11/9/2006	<input checked="" type="checkbox"/> 9/10/2007	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			One outfall to Quincy Pond. 11/9/06; plans & rpt. 5/25/07; plans & rpt.	9/10/2007
3698	Copperleaf Water Quality Pond E outf		<input type="checkbox"/> 12/12/2013	<input checked="" type="checkbox"/> 12/13/2013	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			One outfall from not eligible pond E	12/13/2013
2345	Hampden Avenue Detention Pond (E)		<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 6/19/2000	2-5S-66W			Regional detention pond per ECCV W & S Dist. master plan. Muller to provide construction observation. See also Mesa Subdivision, 2126.	6/26/2000
478	Huntington-Smoky Hill		<input type="checkbox"/> 12/23/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-5S-66W			w/i ECCV W&S District; PDP "F" Zone o.k.	12/23/1986
154	Lantern Hill		<input checked="" type="checkbox"/> 8/2/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W			West Toll Gate Creek basin...	6/10/1986
2127	Mesa Subdivision	RB-1	<input checked="" type="checkbox"/> 2/10/1997	<input checked="" type="checkbox"/> 9/15/1997	<input checked="" type="checkbox"/> 1/6/2000	<input type="checkbox"/>	2-5S-66W			Two storm sewer outlets and two road crossings	1/25/2000
2126	Mesa Subdivison		<input checked="" type="checkbox"/> 2/10/1997	<input checked="" type="checkbox"/> 9/15/1997	<input checked="" type="checkbox"/> 1/6/2000	<input type="checkbox"/>	2-5S-66W			Eight storm sewer outlets. See also Hampden Pond, 2345.	1/25/2000
2732	North Quincy Highlands	un-named	<input checked="" type="checkbox"/> 12/2/2002	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W	38+50 67+00	Upper Toll Gate OSP	12/26/00: PDP, Need input from ECCV. 12/2/02: PDP. FP in open space.	12/2/2002
3448	Picadilly Road Pond (ECCV)		<input checked="" type="checkbox"/> 4/26/2006	<input checked="" type="checkbox"/> 2/11/2008	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W	219+00 231+00	Unnamed Trib to West Toll Gate Creek OSP	Regional detention pond. 4/27/06; plans & rpt. 5/2/07; original approval. 2/11/08; approved revised design.	2/11/2008
498	Quincy Ave. Culvert		<input checked="" type="checkbox"/> 11/11/1986	<input type="checkbox"/> 9/2/1987	<input type="checkbox"/>	<input type="checkbox"/> 10/6/1987	2,11-5S-66W			x-ref Spring Creek Meadows; temp construct proposed @ u/s end; project to tie to future regional detention pond per ECCV master plan...	10/6/1987
3296	Quincy Detention Pond (ECCV)		<input checked="" type="checkbox"/> 1/16/2005	<input checked="" type="checkbox"/> 4/4/2005	<input checked="" type="checkbox"/> 11/26/2008	<input type="checkbox"/>	11-5S-66W	175+00 190+00	Unnamed Trib to West Toll Gate Creek OSP	Regional detention pond with sub-regional WQ. 12/10/04; plans & report. 1/16/05; plans & rpt.	11/26/2008
3101	Saddle Rock Highlands	Unnamed	<input checked="" type="checkbox"/> 2/24/2003	<input checked="" type="checkbox"/> 10/29/2003	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W	38+00 67+00	Upper Toll Gate Cr. OSP	2/24/03: FDP & Final Plat. 5/14/03; plans & rpt. 8/20/03; plans & rpt. Three storm sewer outfalls, ECCV will provide stream stab & regional detention design.	11/6/2003
3102	Saddle Rock Highlands	Unnamed	<input checked="" type="checkbox"/> 2/24/2003	<input checked="" type="checkbox"/> 6/10/2003	<input checked="" type="checkbox"/> 10/2/2007	<input checked="" type="checkbox"/> 10/2/2007	2-5S-66W	4+00 25+00	Upper Toll Gate Cr. OSP	2/24/03: FDP & Final Plat. Offsite storm sewer outfall at Dakota Valley Elementary School.	10/2/2007
2483	Saddle Rock Ridge Filing No.1		<input checked="" type="checkbox"/> 9/9/1999	<input checked="" type="checkbox"/> 9/9/1999	<input checked="" type="checkbox"/> 9/30/2002	<input checked="" type="checkbox"/> 9/30/2002	13-5S-66W			One storm sewer outfall, see also 2482. 9/21/01; see letter this date.	9/30/2002
2482	Saddle Rock Ridge Filing No.1	Tributary A	<input checked="" type="checkbox"/> 9/9/1999	<input checked="" type="checkbox"/> 9/9/1999	<input checked="" type="checkbox"/> 9/30/2002	<input checked="" type="checkbox"/> 9/30/2002	13-5S-66W			One outfall at drainageway upstream limit, see also 2483 & 2296. 9/21/01; see letter this date.	9/30/2002
73	Spring Creek Meadows #2		<input checked="" type="checkbox"/> 3/3/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Chanlztn prop per ECCV master plan Qs; park develop prop w/i 100-yr future cond. fp; E. Quincy Ave. crossing design per ECCV mp Qs; interim cond. proposed until u/s detention can be constructed...	3/18/1987

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE	
74	Spring Creek Meadows #2	un-named (B)	<input type="checkbox"/> 6/19/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Natural drainageway; no encroachment proposed; erosion control and future maintenance questioned...	7/16/1986	
471	Spring Creek Meadows #3		<input checked="" type="checkbox"/> 3/3/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Channelization proposed per 1/87 Floodplain Report; x-ref MEFS 73...	3/18/1987	
472	Spring Creek Meadows #3	un-named (B)	<input type="checkbox"/> 10/24/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W				10/29/1986	
474	Spring Creek Meadows #4	un-named (B)	<input checked="" type="checkbox"/> 3/3/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Channelization proposed per 1/87 Floodplain Report; x-ref MEFS 73...	3/18/1987	
473	Spring Creek Meadows #4		<input checked="" type="checkbox"/> 3/3/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Channelization proposed per 1/87 Floodplain Report; x-ref MEFS 73...	3/18/1987	
593	Spring Creek Meadows Filing No. 5	un-named (B)	<input checked="" type="checkbox"/> 3/3/1987	<input checked="" type="checkbox"/> 4/16/1997	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Abuts Filing 4 east of channel; channelization proposed per 1/87 Floodplain Report; x-ref MEFS 474...1/16/97: One storm sewer outlet design submitted.	4/16/1997	
1359	Spring Creek Park		<input checked="" type="checkbox"/> 8/11/1995	<input checked="" type="checkbox"/> 1/3/2007	<input checked="" type="checkbox"/> 8/24/2009	<input checked="" type="checkbox"/> 1/4/2011	2-5S-66W			Park in floodplain. Det pond. Reapproved. 8/24/09; repair list issued.	1/4/2011	
3417	Spring Creek Park Improvements		<input checked="" type="checkbox"/> 9/13/2006	<input checked="" type="checkbox"/> 12/26/2006	<input checked="" type="checkbox"/> 8/24/2009	<input type="checkbox"/>	2-5S-66W			Remedial repairs for park in floodplain. 9/13/06; const plans, rpt and GESC.	8/24/2009	
3245	Tallgrass Detention Pond (ECCV)	un-named	<input checked="" type="checkbox"/> 1/27/2004	<input checked="" type="checkbox"/> 3/9/2005	<input checked="" type="checkbox"/> 11/26/2008	<input type="checkbox"/>	2-5S-66W			Formerly Hampden East Pond. Wetland bottom pond.	11/26/2008	
3598	Tallgrass Temporary Sed Ponds 2&3	un-named	<input type="checkbox"/>	<input checked="" type="checkbox"/> 8/9/2011	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			U/S of Tallgrass pond, removal of old sedimentation ponds.	11/29/2011	
2035	The Mesa Filing No. 1	RB-1	<input checked="" type="checkbox"/> 1/22/1996	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Prelim plat and drainage study. Requires CLOMR and coordination with ECCV.	1/22/1996	
2034	The Mesa Filing No. 1		<input checked="" type="checkbox"/> 1/22/1996	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-5S-66W			Prelim plat and drainage study. Requires CLOMR and coordination with ECCV.	1/22/1996	
176	Trail Ridge #1	un-named	<input type="checkbox"/> 1/15/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-5S-66W			x-ref ECCV MP; W Toll Gate Ck basin; two drainageways involved; erosion control proposed; encroachment proposed for west trib; prelim study lacks tech support; o.k. to approve prelim plat only...	6/11/1986	
2401	Trail Ridge Filing No. 3		<input checked="" type="checkbox"/> 2/5/1999	<input checked="" type="checkbox"/> 11/2/1999	<input checked="" type="checkbox"/> 12/2/2002	<input checked="" type="checkbox"/> 9/10/2007	13-5S-66W			One storm sewer outfall, see also 1622. 2/5/99: outfall design problems. 8/10/99: new engineer, now two outfalls, design problems. 9/27/99: poor alignment on 36" outfall.	9/10/2007	
PINEY CREEK												
8	Arapahoe Meadows		<input type="checkbox"/> 6/12/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25,26-5S-66W	270+00	320+00	Piney Creek FHAD	Leaving FP open...	7/1/1986
12	Arapahoe Meadows	un-named	<input type="checkbox"/> 6/12/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25-5S-66W				Leaving FP open...	7/1/1986
2109	Arapahoe Road Improvements		<input checked="" type="checkbox"/> 1/21/1997	<input checked="" type="checkbox"/> 6/22/1998	<input type="checkbox"/>	<input type="checkbox"/>	23,26-5S-66W	247+00	270+00	Piney Creek FHAD	1/21/97: CLOMR has design problems. 1/19/98: One culvert w/ drop structure and 4 storm sewer outlets.	6/25/1998
2188	Arapahoe Road/Liverpool St.		<input checked="" type="checkbox"/> 8/29/1997	<input checked="" type="checkbox"/> 9/5/1997	<input checked="" type="checkbox"/> 5/15/1998	<input checked="" type="checkbox"/> 5/3/1999	23-5S-66W	249+00	256+00	Piney Creek	Relocated low flow channel and grade control structure.	5/3/1999
2958	Buckley Road Bridge over Piney Cree		<input checked="" type="checkbox"/> 12/19/2001	<input checked="" type="checkbox"/> 3/28/2002	<input checked="" type="checkbox"/> 7/12/2004	<input checked="" type="checkbox"/> 5/18/2005	21-5S-66W					5/18/2005

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3336	Buckley Road Bridge Phase II		<input checked="" type="checkbox"/> 4/29/2005	<input checked="" type="checkbox"/> 1/17/2008	<input checked="" type="checkbox"/> 7/14/2008	<input type="checkbox"/>	21-5S-66W			Additional low-flow drop structures. 9/1/05; plans & rpt. 10/4/05; orial approval. 1/17/08; Project called now Piney Creek Trail.	7/14/2008
128	Cherry Creek Close & Ch Cr Close-N		<input type="checkbox"/> 8/1/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-66W	10+00 30+00	Piney Creek FHAD		8/2/1991
2274	Farm @ Arapahoe Co Filing 1&2		<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 4/10/2003	<input checked="" type="checkbox"/> 5/8/2003	21-5S-66W			Regional detention pond A plus outfall. 11/2/98: WQ added, plans not reviewed, currently ineligible. 12/8/98: WQ review completed.	5/8/2003
2275	Farm @ Arapahoe Co Filing 3		<input checked="" type="checkbox"/> 6/23/1998	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 5/8/2003	21-5S-66W			Channelization of Piney Creek and two outfalls, see also 2381.	5/8/2003
2378	Farm @ Arapahoe Co Filing 4		<input checked="" type="checkbox"/> 12/8/1998	<input checked="" type="checkbox"/> 3/8/1999	<input checked="" type="checkbox"/> 4/8/2003	<input checked="" type="checkbox"/> 6/12/2006	21-5S-66W			Regional pond G plus outfall, four storm sewer outfalls. 12/8/98: regional pond G w/WQ features. 1/15/99: deleted WQ feature, minor revisions needed. 5/8/03; repair list.	6/12/2006
2380	Farm @ Arapahoe Co Filing 5		<input checked="" type="checkbox"/> 12/10/1998	<input checked="" type="checkbox"/> 4/29/1999	<input checked="" type="checkbox"/> 4/10/2003	<input checked="" type="checkbox"/> 5/8/2003	21-5S-66W			Storm sewer outlet and street overflow to Pond A.	5/8/2003
2381	Farm @ Arapahoe Co Tower Road Br		<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 7/15/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 5/8/2003	21-5S-66W			Bridge design & hydraulics by FHU, see also 2275. 4/29/99: one storm sewer outlet to Regional Pond A is approved	5/8/2003
2230	Farm @ Arapahoe County Filing 3		<input checked="" type="checkbox"/> 12/8/1997	<input checked="" type="checkbox"/> 1/20/1998	<input checked="" type="checkbox"/> 4/8/2003	<input checked="" type="checkbox"/> 4/16/2003	21-5S-66W			Regional pond F & three storm sewer outfalls.	4/16/2003
3031	Farm @ Arapahoe County Filing No.		<input checked="" type="checkbox"/> 9/9/2002	<input checked="" type="checkbox"/> 9/9/2002	<input type="checkbox"/>	<input checked="" type="checkbox"/> 11/21/2002	21-5S-66W			One grade control structure and stream stabilization. District CIP will complete this project, therefore it's eligible upon completion (see email dated this date in file).	11/21/2002
2434	Farm @ Arapahoe County Filing No.		<input checked="" type="checkbox"/> 6/10/1999	<input checked="" type="checkbox"/> 9/8/1999	<input checked="" type="checkbox"/> 6/12/2006	<input checked="" type="checkbox"/> 6/12/2006	21-5S-66W			Pond H with outfall to Piney Creek and 2 outfalls to Pond G. 7/20/99: minor comments on const details	6/12/2006
2335	Frasier Ct. Bridge at the Orchards		<input checked="" type="checkbox"/> 6/3/1997	<input checked="" type="checkbox"/> 6/16/1998	<input checked="" type="checkbox"/> 3/26/1999	<input checked="" type="checkbox"/> 2/24/2000	19-5S-66W			Bridge abutment revetment, see also record 2166.	2/24/2000
1567	Greenfield Filing 2 Detention Pond B	RB-6	<input type="checkbox"/> 1/17/1995	<input type="checkbox"/> 1/17/1995	<input type="checkbox"/>	<input type="checkbox"/>	23-5S-66W			Too much of this is aesthetics to separate quantity aspects.	1/18/1995
1386	Greenfield Filing 3, PondRB-7, RES-	RB-7	<input checked="" type="checkbox"/> 1/3/1995	<input checked="" type="checkbox"/> 1/8/1996	<input checked="" type="checkbox"/> 4/22/2002	<input checked="" type="checkbox"/> 5/13/2002	23-5S-66W			May or may not be considered a major drainageway. Drainage report calls for grade control structures which are not included in the construction drawings.	5/13/2002
2426	Greenfield Filing No. 5		<input checked="" type="checkbox"/> 4/21/1999	<input checked="" type="checkbox"/> 6/9/1999	<input checked="" type="checkbox"/> 2/22/2001	<input checked="" type="checkbox"/> 8/1/2002	23-5S-66W			One outfall to regional detention pond. 5/13/02; repair list issued.	8/1/2002
2410	Greenfield Filing No. 6		<input checked="" type="checkbox"/> 7/21/1999	<input checked="" type="checkbox"/> 9/9/1999	<input checked="" type="checkbox"/> 6/13/2001	<input checked="" type="checkbox"/> 5/13/2002	23-5S-66W	230+00 263+00	Piney Creek FHAD	2/22/99: FDP and Final Plat. Ignores stab. Plan. 5/26/99: Still ignores stab. plan. 7/21/99: Arapco & District will implement stab plan, minor details.	5/13/2002
3216	Greenfield Pedestrian Bridge		<input checked="" type="checkbox"/> 9/20/2004	<input checked="" type="checkbox"/> 10/15/2004	<input checked="" type="checkbox"/> 3/28/2006	<input type="checkbox"/>	23-5S-66W			5/20/04; plans, need rpt. 9/20/04; plans & rpt. 10/15/04; revised plans. Only bank stabilization and stormsewer extension are eligible. Trail is not ADA compliant.	3/28/2006
604	Hills at Piney Creek		<input checked="" type="checkbox"/> 10/27/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16-5S-66W	89+00 125+00	Piney Creek FHAD		10/27/1987

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE	
1971	Hills at Piney Creek Filing No.3-B	RB-4	<input type="checkbox"/> 8/11/1995	<input type="checkbox"/> 9/8/1995	<input type="checkbox"/>	<input type="checkbox"/>	16-5S-66W			Modification of Pond 3-A See record #1421.	9/8/1995	
3171	LB-4 Ponds 1, 2 & 3 (ECCV)	LB-4	<input checked="" type="checkbox"/> 6/4/2003	<input checked="" type="checkbox"/> 10/6/2003	<input type="checkbox"/>	<input type="checkbox"/>	20-5S-66W			Pond 1 is regional, Ponds 2 & 3 were reviewed for outfalls only.	11/4/2003	
920	Orchard Road Telluride to Tower		<input type="checkbox"/> 3/17/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16-5S-66W	102+00	126+00	Piney Creek FHAD	Project is 5 storm sewer outfalls.	3/24/1988
2166	Orchards		<input checked="" type="checkbox"/> 6/3/1997	<input checked="" type="checkbox"/> 11/24/1997	<input checked="" type="checkbox"/> 3/26/1999	<input checked="" type="checkbox"/> 2/24/2000	19-5S-66W				Two storm sewer outlets. 10/20/97: not acceptable. 11/6/97: still non-responsive. 11/12/97: phone call to Haskins - not acceptable. See record 2335 for Frasier Ct. bridge revetment	2/24/2000
168	Piney Creek #16		<input checked="" type="checkbox"/> 7/24/1985	<input checked="" type="checkbox"/> 7/24/1985	<input type="checkbox"/>	<input type="checkbox"/>	17-5S-66W	30+50	40+00	Piney Creek FHAD	Filing No. 16; Erosion potential must be addressed...	6/10/1986
6	Piney Creek East		<input checked="" type="checkbox"/> 2/11/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-66W	163+00	291+00	Piney Creek FHAD	Floodplain left open...	3/3/1986
76	Piney Creek East #3	S. Trib. to RB5-RES	<input checked="" type="checkbox"/> 8/20/1991	<input type="checkbox"/> 8/20/1991	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-66W					8/21/1991
3227	Piney Creek Hollow Park		<input checked="" type="checkbox"/> 5/11/2004	<input checked="" type="checkbox"/> 5/11/2004	<input type="checkbox"/>	<input type="checkbox"/>	22-5S-66W				One storm sewer outfall.	5/11/2004
1369	Piney Creek Trail Extension		<input type="checkbox"/> 6/25/1993	<input type="checkbox"/> 6/25/1993	<input type="checkbox"/>	<input type="checkbox"/> 7/20/1993	17,19,20-5S-66W	15+00	40+00	Piney Creek FHAD	Approved by County over our objections.	7/20/1993
2858	Piney Creek Village Flg 2		<input checked="" type="checkbox"/> 11/14/2001	<input type="checkbox"/> 11/14/2001	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/17/2005	17,20-5S-66W	39+00	75+00		Review for bank stabilization, R3 & R4. Lot restrictions must remain until channel stabilization is complete. 5/17/05; declared eligible due to inclusion in a CIP project.	5/17/2005
2045	Prairie Creek		<input checked="" type="checkbox"/> 10/3/1996	<input checked="" type="checkbox"/> 10/3/1996	<input checked="" type="checkbox"/> 3/30/1998	<input checked="" type="checkbox"/> 9/1/1998	19-5S-66W				Cutoff wall, storm sewer outfall, and channel lining. See also record 2115.	9/1/1998
1623	Prairie Creek		<input type="checkbox"/> 5/5/1995	<input type="checkbox"/> 8/24/1995	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-66W				One storm sewer outlet. Formerly Cherry Creek Close North.	8/25/1995
2115	Prairie Creek Filing No. 3		<input checked="" type="checkbox"/> 3/19/1997	<input checked="" type="checkbox"/> 3/19/1997	<input checked="" type="checkbox"/> 3/30/1998	<input checked="" type="checkbox"/> 9/1/1998	19-5S-66W				One storm sewer outlet. See also record 2045	9/1/1998
1032	RB1-Pond 4	RB-1	<input checked="" type="checkbox"/> 12/8/1989	<input checked="" type="checkbox"/> 6/9/1994	<input checked="" type="checkbox"/> 1/4/1995	<input checked="" type="checkbox"/> 3/27/1996	17-5S-66W				Design approved first on 12/8/89. Minor revisions in '94. Suffered major damage in spring '95. Check before final acceptance.	3/27/1996
1271	RB2-Pond 2	RB2	<input checked="" type="checkbox"/> 8/28/1992	<input checked="" type="checkbox"/> 8/28/1992	<input checked="" type="checkbox"/> 3/17/1994	<input checked="" type="checkbox"/> 10/1/2001	17-5S-66W					10/1/2001
1088	RB3-Pond1	RB-3	<input checked="" type="checkbox"/> 8/15/1990	<input checked="" type="checkbox"/> 8/31/1990	<input checked="" type="checkbox"/> 1/15/1991	<input type="checkbox"/>	16-5S-66W					1/17/1991
1421	RB4-Pond 5 Hills @ Piney Creek Flg	RB-4	<input checked="" type="checkbox"/> 3/8/1994	<input checked="" type="checkbox"/> 3/15/1994	<input checked="" type="checkbox"/> 6/25/1997	<input checked="" type="checkbox"/> 3/19/2002	16-5S-66W				Pond damaged. Now they have proposed add. changes	3/19/2002
629	RB5-RES1 Detention	Rec. Center	<input checked="" type="checkbox"/> 7/21/1987	<input checked="" type="checkbox"/> 6/23/1988	<input checked="" type="checkbox"/> 5/2/1989	<input checked="" type="checkbox"/> 3/31/1997	22-5S-66W				See also 2688, Tuscany South outfall.	3/31/1997
1352	The Hills at Piney Creek Filing No. 3		<input checked="" type="checkbox"/> 8/25/1993	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16-5S-66W	69+00	125+00	Piney Creek FHAD		8/27/1993
2688	Tuscany South	Rec. Center	<input checked="" type="checkbox"/> 9/20/2000	<input checked="" type="checkbox"/> 9/20/2000	<input checked="" type="checkbox"/> 9/20/2000	<input checked="" type="checkbox"/> 12/11/2001	22-5S-66W				See also 629, one outfall to RB5-Res1.	12/17/2001
PRAIRIE DOG DRAW												
2471	Linnebur Filing No. 1, Saint Isidore		<input checked="" type="checkbox"/> 8/4/1999	<input checked="" type="checkbox"/> 9/28/1999	<input checked="" type="checkbox"/> 12/16/2002	<input checked="" type="checkbox"/> 7/15/2004	1-4S-65W				One storm sewer outfall	7/15/2004
2666	WorldPark		<input type="checkbox"/> 8/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-4S-65W	161+00	170+00	Upper Box Elder OSP	8/16/00: Zoning.	8/17/2000
RAT RUN												
2663	WorldPark	and 2 tribs	<input type="checkbox"/> 8/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,2,11-4S-65W	16+00	134+00	Upper Box Elder OSP	8/16/00: Zoning.	8/17/2000

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2664	WorldPark	Stream 120	<input type="checkbox"/> 8/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,2-4S-65W	0+00 40+00	Upper Box Elder OSP	8/16/00: Zoning.	8/17/2000
SADDLE ROCK RANCHES GUL											
974	Eagle Gulch	A	<input type="checkbox"/> 10/25/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-66W				10/28/1988
973	Eagle Gulch		<input type="checkbox"/> 10/25/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-66W				10/28/1988
SAMPSON GULCH											
175	Stage Run		<input checked="" type="checkbox"/> 5/31/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-65W			Proposed annexation to Aurora 1/86...	7/16/1986
904	Stage Run		<input checked="" type="checkbox"/> 5/31/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-65W				12/31/1987
905	Stage Run	unnamed	<input checked="" type="checkbox"/> 5/31/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-65W				12/31/1987
SAND CREEK											
631	Jones Fine Sand		<input type="checkbox"/> 7/21/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12-4S-66W	808+50 815+50	Sand Creek FHAD		7/23/1987
SENAC CREEK											
3106	Denver Arapahoe Disposal Site	Baldwin Creek	<input checked="" type="checkbox"/> 3/3/2003	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5-5S-65W	42+00 71+00	Upper Sand Cr. OSP	3/3/03: Rezoning.	3/3/2003
SJCD (N)											
83	Capital Imprvts-Normandy Cr	F	<input checked="" type="checkbox"/> 5/12/1986	<input type="checkbox"/> 5/12/1986	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-68W		Columbine Outfall MP		6/10/1986
879	Cottonwood Meadows		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 12/2/1987	30-5S-68W	19+00 29+00	SJCD(N) MP	On-stream recreational reservoir w/ no flood control value. Flood plain downstream from embankment could be eligible on request.	12/2/1987
2028	Estates at Fox Haven		<input checked="" type="checkbox"/> 1/13/1997	<input checked="" type="checkbox"/> 9/23/1998	<input checked="" type="checkbox"/> 11/13/2000	<input checked="" type="checkbox"/> 2/26/2001	30-5S-68W	41+00 49+00	SJCD MP		2/23/2001
2002	Polo Reserve-The Meadows		<input type="checkbox"/> 12/13/1995	<input type="checkbox"/> 12/13/1995	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-68W	29+00 31+00	SJCD MP	New outlet structure on Platte Canyon Rd. crossing.	12/13/1995
SJCD (S)											
2269	Signature at Platte Canyon	North	<input checked="" type="checkbox"/> 2/10/1999	<input checked="" type="checkbox"/> 11/9/1999	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 5/30/2001	31-5S-68W			6/15/98: plans approved for 2 outfalls & grade control. 2/10/99: new concept for floodplain fill to site onsite detention. 5/4/99: CLOMR ok, drainage study ok, design comments.	5/30/2001
WEST TOLL GATE CREEK											
1494	Chenango/Picadilly Street Extension		<input checked="" type="checkbox"/> 6/24/1994	<input type="checkbox"/> 6/24/1994	<input type="checkbox"/>	<input type="checkbox"/>	11-6S-66W	53+00 54+00	ECCV Floodplain Study	Temporary culvert outlet.	6/27/1994
595	Fox Hill		<input checked="" type="checkbox"/> 3/4/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-5S-66W			Project w/i ECCV; open space concept proposed...	3/18/1987
1320	Fox Hill Filing No. 4		<input checked="" type="checkbox"/> 2/25/1993	<input checked="" type="checkbox"/> 2/25/1993	<input checked="" type="checkbox"/> 4/5/1994	<input checked="" type="checkbox"/> 12/30/1996	10-5S-66W			One energy dissipater.	12/30/1996
1316	Fox Hill Filing No. 5		<input checked="" type="checkbox"/> 2/21/1993	<input checked="" type="checkbox"/> 4/14/1993	<input checked="" type="checkbox"/> 3/23/1995	<input checked="" type="checkbox"/> 10/1/1996	10-5S-66W			One storm sewer outlet structure.	10/1/1996
1189	Fox Hill Park		<input checked="" type="checkbox"/> 9/12/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-5S-66W				9/13/1991
476	Huntington-Smoky Hill		<input type="checkbox"/> 12/23/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13,14,24-5S-66W			w/i ECCV W&S District; PDP "F" Zones o.k.	12/24/1986
477	Huntington-Smoky Hill	2 un-named	<input type="checkbox"/> 12/23/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			w/i ECCV W&S District; PDP "F" Zone o.k.	12/24/1986
912	Jackson Farm	un-named	<input checked="" type="checkbox"/> 2/1/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15-5S-66W			located u/s of Pride's Crossing; ECCV Tower Rd. detention facility immediately adjacent to site...	2/2/1988
1434	Jackson Farms #6	Unnamed	<input checked="" type="checkbox"/> 2/3/1994	<input checked="" type="checkbox"/> 3/2/1994	<input checked="" type="checkbox"/> 1/4/1995	<input checked="" type="checkbox"/> 9/9/1997	15-5S-66W			Surface drainage elements only.	9/9/1997

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE	
1026	Park 5A		<input checked="" type="checkbox"/> 9/21/1989	<input checked="" type="checkbox"/> 9/21/1989	<input type="checkbox"/> 5/4/1990	<input type="checkbox"/> 5/4/1990	14-5S-66W			Maint. trail only. Constructed w/o letting us watch. Looks too thin.	5/25/1990	
644	Park 5E		<input type="checkbox"/> 9/8/1988	<input type="checkbox"/> 9/8/1988	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W				9/23/1988	
906	Park View Commons #4	Unnamed	<input type="checkbox"/> 7/30/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W				12/31/1987	
878	Parkborough		<input type="checkbox"/> 10/5/1981	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W				12/1/1987	
163	Parkview Heights #1		<input checked="" type="checkbox"/> 6/17/1988	<input checked="" type="checkbox"/> 11/28/1989	<input type="checkbox"/>	<input type="checkbox"/>	13,24-5S-66W			Two storm sewer outlets only.	12/11/1989	
164	Parkview Knolls		<input checked="" type="checkbox"/> 5/28/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			Open space concept proposed; no channel improvements proposed; FP dedicated to Arapahoe Park & Recreation District; S. Picadilly Rd x-ing...	6/10/1986	
618	Parkview Meadows Filing No. 1		<input checked="" type="checkbox"/> 1/20/1988	<input checked="" type="checkbox"/> 8/12/1988	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			x-ref Huntington-Smoky Hill and Willamette Avenue detention facility; concurrent w/ ECCV construction.	8/16/1988	
619	Parkview Meadows Filing No. 2		<input checked="" type="checkbox"/> 2/4/1988	<input checked="" type="checkbox"/> 1/11/1996	<input checked="" type="checkbox"/> 4/16/1997	<input checked="" type="checkbox"/> 9/1/1998	14-5S-66W			x-ref Huntington-Smoky Hill; one storm sewer outfall. 12/3/97: vegetation not adequate. 9/1/98: vegetation acceptable	9/1/1998	
617	Parkview Meadows Filing No. 3		<input checked="" type="checkbox"/> 2/4/1988	<input checked="" type="checkbox"/> 9/26/1996	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 11/8/2000	14-5S-66W			x-ref Huntington-Smoky Hill; One storm sewer outfall.	11/8/2000	
2014	Parkview Meadows Filing No. 4		<input checked="" type="checkbox"/> 5/13/1996	<input checked="" type="checkbox"/> 5/13/1996	<input checked="" type="checkbox"/> 7/8/1999	<input checked="" type="checkbox"/> 9/26/2000	14-5S-66W	186+00	233+30	Upper Toll Gate Creek OSP	Five storm sewer outlets into ECCV ROW.	9/26/2000
167	Parkview Metro District		<input type="checkbox"/> 8/23/1984	<input type="checkbox"/> 8/23/1984	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			Two street crossing proposed (Liverpool St. or Progress Dr. and Picadilly St.); design problems noted; final const. drawings never submitted...	6/10/1986	
165	Parkview Terrace	un-named	<input checked="" type="checkbox"/> 10/2/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			Drainageway borders parcel on west; const. dwgs. never submitted...	6/10/1986	
166	Parkview Terrace		<input checked="" type="checkbox"/> 10/2/1984	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-5S-66W			Const. dwgs never submitted; proposal involves major channelization w/drops and street x-ing (S. Liverpool)...	6/10/1986	
891	Quincy River	unnamed	<input checked="" type="checkbox"/> 5/16/1983	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W				12/2/1987	
890	Quincy River		<input checked="" type="checkbox"/> 5/16/1983	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11-5S-66W				12/2/1987	
291	Riviera Way Detention Facility		<input checked="" type="checkbox"/> 7/2/1997	<input checked="" type="checkbox"/> 7/2/1997	<input checked="" type="checkbox"/> 4/2/1998	<input checked="" type="checkbox"/> 8/15/2002	13-5S-66W			Const certified by Muller Engineering. 1/3/99; Cindy's telcon w/Mike D indicated repairs almost done, MEC will wirte letter.	8/15/2002	
2441	Saddle Rock Ridge Filing No. 3		<input checked="" type="checkbox"/> 6/28/1999	<input checked="" type="checkbox"/> 9/16/1999	<input checked="" type="checkbox"/> 10/8/2002	<input checked="" type="checkbox"/> 4/2/2003	13,24-5S-66W			One outfall to Riviera Way Detention Pond, ECCV provides channel stability. 10/2/02; final repair list.	4/2/2003	
177	Trail Ridge #1		<input checked="" type="checkbox"/> 10/27/1988	<input checked="" type="checkbox"/> 12/21/1988	<input type="checkbox"/>	<input type="checkbox"/>	13-5S-66W			One storm sewer outfall proposed; remedial replacement of existing outfall...	12/27/1988	
1622	Trail Ridge Filing No. 2		<input checked="" type="checkbox"/> 7/21/1995	<input checked="" type="checkbox"/> 7/21/1995	<input checked="" type="checkbox"/> 9/3/1996	<input type="checkbox"/> 12/1/1997	13-5S-66W	261+00	283+00	Upper Toll Gate Creek OSP	Two storm sewer and one culvert outlets. Creek status unknown. 12/1/97: vegetation still lacking.	12/1/1997
3561	West Toll Gate Creek at Fox Hill Park		<input type="checkbox"/>	<input checked="" type="checkbox"/> 11/10/2010	<input checked="" type="checkbox"/> 7/2/2012	<input type="checkbox"/>	10-5S-66W			drop structures and bank stabilization. Bank stabilization extended 100' u/s from crossing per SEMSWA request.	7/2/2012	
3169	West Toll Gate Creek Drop Structure		<input checked="" type="checkbox"/> 6/4/2003	<input checked="" type="checkbox"/> 7/20/2006	<input type="checkbox"/>	<input type="checkbox"/>	10-5S-66W	140+00	145+00	Upper Toll Gate Creek Basin MP	ECCV Water & Sanitation District facility	7/20/2006

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2031	West Toll Gate Creek Drop Structure		<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 1/9/1996	<input checked="" type="checkbox"/> 4/16/1997	<input checked="" type="checkbox"/> 2/10/2003	14-5S-66W	200+00 205+00	Upper Toll Gate Creek Basin MP	ECCV Water & Sanitation District facility	2/10/2003
844	Williamette Ave. Detention Facility		<input checked="" type="checkbox"/> 11/5/1987	<input checked="" type="checkbox"/> 8/12/1988	<input type="checkbox"/>	<input checked="" type="checkbox"/> 9/18/1995	14-5S-66W			By ECCV; x-ref Parkview Meadows #1...Constructed with District participation.	8/16/1988
2293	Willow Trace Filing No. 1		<input checked="" type="checkbox"/> 6/29/1998	<input checked="" type="checkbox"/> 3/29/2000	<input checked="" type="checkbox"/> 4/22/2002	<input checked="" type="checkbox"/> 11/11/2002	11-5S-66W	44+25 66+00	ECCV floodplain study Sept., 1988	9/8/98: School site moved around. See also 2294.	11/11/2002
2294	Willow Trace Filing No. 1	LB-1	<input checked="" type="checkbox"/> 6/29/1998	<input checked="" type="checkbox"/> 3/29/2000	<input checked="" type="checkbox"/> 4/22/2002	<input checked="" type="checkbox"/> 11/11/2002	11-5S-66W	0+00 10+00	ECCV floodplain study Sept., 1988	9/8/98: School site moved around. See also 2293.	11/11/2002
WILLOW CREEK (ARAPCO)											
1475	Arapahoe and Holly Self-Storage		<input checked="" type="checkbox"/> 5/6/1994	<input checked="" type="checkbox"/> 4/28/1995	<input type="checkbox"/> 1/9/1996	<input type="checkbox"/> 1/9/1996	33-5S-67W	33+00 45+00	Little Dry MP	Two storm sewer outlets into ineligible channel. Record 150. 10/7/96: Submitted "Notice of Change to Approved Design" which just wanted to not build the approved plans. 10/20/97: See letter of 10/17.	10/20/1997
117	Arapahoe Rd. @ Willow Creek		<input checked="" type="checkbox"/> 10/15/1985	<input checked="" type="checkbox"/> 8/5/1986	<input type="checkbox"/>	<input type="checkbox"/>	20,29-5S-67W	24+00 26+00	Little Dry Creek MP	Problems exist w/traffic control; design may change...	9/9/1986
860	Foxhill Park	Foxhill Park	<input checked="" type="checkbox"/> 11/19/1987	<input checked="" type="checkbox"/> 4/8/1988	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-67W				4/12/1988
1235	Foxhills Trib. Crossing @ Dry Creek	Foxhills Trib.	<input checked="" type="checkbox"/> 3/20/1992	<input checked="" type="checkbox"/> 7/8/1992	<input checked="" type="checkbox"/> 10/15/1993	<input type="checkbox"/>	29,32-5S-67W	10+00 17+00	Little Dry et. al. Stabilization Planning		10/15/1993
554	Foxridge Plaza	un-named	<input type="checkbox"/> 12/16/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-67W				1/9/1987
145	Georgetown Village		<input checked="" type="checkbox"/>	<input type="checkbox"/> 2/5/1982	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W	0+00 11+00	Little Dry Creek MP		6/10/1986
875	Highland Park	Phillips	<input type="checkbox"/> 8/27/1997	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 8/27/1997	34-5S-67W			On-site detention in 3 on-line ponds.	8/27/1997
3116	Holly Creek Christian Living Campus		<input checked="" type="checkbox"/> 2/27/2003	<input checked="" type="checkbox"/> 2/27/2003	<input type="checkbox"/>	<input type="checkbox"/>	19-5S-67W	0+00 25+00	Little Dry Creek MP		3/5/2003
2373	Homestead Animal Hospital		<input checked="" type="checkbox"/> 1/15/1999	<input checked="" type="checkbox"/> 2/10/1999	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-67W	48+00 est 48+00 es	Little Dry Creek MP	11/24/98: riprap rundown at excessive slope. 1/15/99: pipe outfall, minor revisions needed.	2/10/1999
151	Homestead Farm Filing No. 6	un-named	<input checked="" type="checkbox"/> 9/7/1983	<input checked="" type="checkbox"/> 4/5/1999	<input checked="" type="checkbox"/> 4/5/1999	<input checked="" type="checkbox"/> 4/5/1999	32-5S-67W			After the fact inspection confirms drainageway was built according to last District review letter (9/7/83). Lower drop was repaired concurrent with East Dry Creek Road culvert improvements.	4/5/1999
865	Homestead Farms	unnamed	<input type="checkbox"/> 8/30/1982	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-67W				11/24/1987
150	Homestead in the Willows #17		<input checked="" type="checkbox"/> 2/23/1984	<input checked="" type="checkbox"/> 2/27/1987	<input type="checkbox"/> 2/27/1987	<input type="checkbox"/>	29-5S-67W	33+00 45+00	Little Dry Creek MP		6/10/1986
816	Homestead in the Willows #19	unnamed (2)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 10/22/1987	<input checked="" type="checkbox"/> 11/9/1990	<input checked="" type="checkbox"/> 5/14/1992	29-5S-67W			Tributary outlet structures only (2 tribs.)	5/27/1992
153	Kaiser Foundation		<input checked="" type="checkbox"/> 7/6/1982	<input checked="" type="checkbox"/> 7/6/1982	<input checked="" type="checkbox"/> 12/19/1983	<input checked="" type="checkbox"/> 12/19/1983	19-5S-67W	11+00 25+00	Little Dry Creek MP	Partial District funding; trickle channel has problems...	6/10/1986
584	New Leaf Nursery	un-named	<input type="checkbox"/> 1/28/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12-5S-67W			Problems with detention pond outfall; natural drainageway located off-site; ownership unknown...	1/30/1987
1543	New Leaf Nursery Lot 5	Foxhill Park Trib.	<input checked="" type="checkbox"/> 12/15/1994	<input checked="" type="checkbox"/> 12/15/1994	<input checked="" type="checkbox"/> 8/11/1995	<input checked="" type="checkbox"/> 2/23/1998	32-5S-67W			One storm sewer outlet.	2/24/1998

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3292	Panorama Office Park Pond Rehabilit	un-named	<input checked="" type="checkbox"/> 6/14/2005	<input checked="" type="checkbox"/> 6/14/2005	<input checked="" type="checkbox"/> 2/22/2007	<input checked="" type="checkbox"/> 11/15/2010	34-5S-67W			Previoulsy ineligible pond (see record 592) for WQ retrofit and pond rehabilitation project. 11/10/04; plans & rpt. 2/3/05; plans & report, outlet structure looks suspect. 3/31/05; plans & rpt.	11/15/2010
949	Quebec Street/Willow Creek Crossing		<input type="checkbox"/> 8/12/1988	<input type="checkbox"/> 8/12/1988	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-67W	152+00 154+00	Little Dry Creek		8/16/1988
170	Quebec Villages	Spring Creek	<input checked="" type="checkbox"/> 8/31/1985	<input checked="" type="checkbox"/> 8/31/1985	<input checked="" type="checkbox"/> 10/2/1984	<input checked="" type="checkbox"/> 10/2/1984	32-5S-67W	40+00 60+00	Little Dry Creek MP		6/11/1986
359	Sanford Homes Ped. Bridge		<input type="checkbox"/> 9/2/1986	<input type="checkbox"/> 9/2/1986	<input type="checkbox"/> 2/24/1987	<input type="checkbox"/> 2/24/1987	29-5S-67W	102+00 103+00	Little Dry Creek MP	Bridge not a flood control facility- therefore not elig.	9/10/1986
626	South Suburban Path Improvements		<input checked="" type="checkbox"/> 7/14/1987	<input checked="" type="checkbox"/> 7/14/1987	<input checked="" type="checkbox"/> 7/14/1987	<input checked="" type="checkbox"/> 7/14/1987	32-5S-67W	145+00 147+00	Little Dry Creek MP	See drawings in 413. Colorado Blvd. Bridge.	7/14/1987
1238	Willow Creek Trail @ County Line R		<input checked="" type="checkbox"/> 4/17/1992	<input checked="" type="checkbox"/> 4/17/1992	<input checked="" type="checkbox"/> 10/13/1992	<input checked="" type="checkbox"/> 10/19/2004	33-5S-67W	220+00 221+50	Little Dry Creek MP	Eligible due to District Maintenance project.	10/19/2004
3690	Willow Creek Trail @ Dry Creek		<input type="checkbox"/> 10/29/2013	<input checked="" type="checkbox"/> 10/29/2013	<input type="checkbox"/>	<input type="checkbox"/>	32-5S-67W		Little Dry Creek MP	u/s and d/s of Dry Creek Rd, by Englewood Dam	11/19/2013
2625	Willow Spring Open Space Trail Impr		<input checked="" type="checkbox"/> 7/3/2000	<input checked="" type="checkbox"/> 7/3/2000	<input type="checkbox"/>	<input type="checkbox"/>	29-5S-67W			Trail replacement at existing low flow crossing.	7/4/2000
649	Yosemite St. Outlet Protection	un-named	<input checked="" type="checkbox"/> 8/27/1987	<input checked="" type="checkbox"/> 10/1/1987	<input checked="" type="checkbox"/> 8/2/1988	<input checked="" type="checkbox"/> 8/2/1988	33-5S-67W			x-ref Panorama Office Park (MEFS 592)...	8/12/1988
WINDMILL CREEK											
3317	ACWWA Pond W-6/W-7		<input checked="" type="checkbox"/> 3/22/2005	<input checked="" type="checkbox"/> 3/22/2005	<input checked="" type="checkbox"/> 3/28/2006	<input checked="" type="checkbox"/> 7/19/2007	30-5S-66W	116+00 121+00	Lone Tree OSP	WQ retrofit.	7/19/2007
3550	ACWWA Windmill Creek Channel I	W-5	<input checked="" type="checkbox"/> 4/23/2010	<input checked="" type="checkbox"/> 8/16/2010	<input checked="" type="checkbox"/> 11/14/2012	<input type="checkbox"/>	31-5S-66W	0+00 5+70	Lone Tree, Windmill OSP	Channel Improvements, 2 box culverts, 2 drops	11/14/2012
1023	Arapahoe County Park	W-5	<input checked="" type="checkbox"/> 8/16/1989	<input checked="" type="checkbox"/> 9/28/1989	<input checked="" type="checkbox"/> 9/23/1991	<input checked="" type="checkbox"/> 6/22/2015	31-5S-66W	8+00 10+00	Lone Tree, Windmill OSP	Detention pond only. CME approved 6/22/15.	6/22/2015
2173	Arapahoe Road Industrial Park Lot 1		<input checked="" type="checkbox"/> 7/2/1997	<input checked="" type="checkbox"/> 8/26/1997	<input checked="" type="checkbox"/> 9/23/2003	<input checked="" type="checkbox"/> 9/23/2003	30-5S-66W			One storm sewer outlet into Pond W-7.	9/23/2003
1344	Blackhawk Road at Windmill Creek		<input type="checkbox"/> 5/3/1993	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W	160+00 167+00	Lone Tree OSP		5/12/1993
3270	Castlewood Filing 12 aka Village @	W-2	<input checked="" type="checkbox"/> 10/13/2004	<input checked="" type="checkbox"/> 10/13/2004	<input checked="" type="checkbox"/> 6/13/2006	<input checked="" type="checkbox"/> 7/19/2007	24-5S-67W	26+70 47+20	Lone Tree, Windmill & Dove Creeks OSP	5/13/04; plans & rpt. 8/16/04; plans & rpt. See also 3203.	7/19/2007
2382	Castlewood Filing 4 Nordstorm Credit		<input checked="" type="checkbox"/> 12/10/1998	<input checked="" type="checkbox"/> 3/8/1999	<input checked="" type="checkbox"/> 2/9/2001	<input type="checkbox"/>	24-5S-67W			12/10/98: one outfall to Pond W-9. 2/17/99: numerous construction plan comments.	2/26/2001
2351	Castlewood Filing 5 Pond W-9	W-2	<input checked="" type="checkbox"/> 10/15/1998	<input checked="" type="checkbox"/> 10/13/1999	<input checked="" type="checkbox"/> 4/10/2001	<input checked="" type="checkbox"/> 5/8/2003	24-5S-67W	21+00 25+00	Lone Tree, Windmill & Dove Creeks OSP	10/15/98: Pond W-9 and two inflow structures, see also 2350. 4/8/99: const details need work. 9/15/99: still needs work. 10/1/02; repair list issued.	5/8/2003
122	Castlewood/Caley Court	un-named	<input type="checkbox"/> 4/3/1985	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W			Tributary to Cherry Creek...	8/26/1988
2258	Centennial East Corp Cntr Fremont St		<input checked="" type="checkbox"/> 8/26/1998	<input checked="" type="checkbox"/> 8/26/1998	<input checked="" type="checkbox"/> 6/14/2001	<input checked="" type="checkbox"/> 5/8/2003	30-5S-66W	140+00 140+00	Lone Tree Windmill Dove Cks OSP	East Fremont Avenue crossing of Windmill Creek See also 2377. 8/15/02; final repair list issued.	5/8/2003
2377	Centennial East Corp Cntr Windmill		<input checked="" type="checkbox"/> 12/8/1998	<input checked="" type="checkbox"/> 6/28/1999	<input checked="" type="checkbox"/> 6/14/2001	<input checked="" type="checkbox"/> 5/8/2003	30-5S-66W	130+00 160+00	Lone Tree Windmill Dove Cks OSP	12/8/98: channel improvements, minor revisions needed. 3/9/99: drop structure problems. 5/24/99: Minor revisions. See also 2258. 8/15/02; repair list issued.	5/8/2003
3300	Centennial East Corp Ctr Blackhawk		<input checked="" type="checkbox"/> 12/17/2004	<input checked="" type="checkbox"/> 4/5/2005	<input checked="" type="checkbox"/> 1/19/2007	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			Two outfalls to wetland bottom channel. 12/17/04; plans & rpt.	1/19/2007

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2616	Centennial East Corp Ctr Filing No 3		<input checked="" type="checkbox"/> 6/16/2000	<input checked="" type="checkbox"/> 8/14/2000	<input checked="" type="checkbox"/> 1/19/2007	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			One outfall to channel.	1/19/2007
2854	Centennial East Corp Ctr Flg 2 Bk 1,2		<input checked="" type="checkbox"/> 3/13/2002	<input checked="" type="checkbox"/> 3/13/2002	<input checked="" type="checkbox"/> 1/19/2007	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			Three outfalls to wetlands channel	1/19/2007
2679	Centennial East Corp Ctr Flg 2 Freha		<input checked="" type="checkbox"/> 9/7/2000	<input checked="" type="checkbox"/> 1/12/2001	<input checked="" type="checkbox"/> 4/10/2003	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			One outfall to wetland bottom channel. 11/7/00; const plans, detail probs. 11/27/00; not much improvement.	1/19/2007
2611	Centennial East Corp Ctr Flg 2 Multi-		<input checked="" type="checkbox"/> 6/1/2000	<input checked="" type="checkbox"/> 9/7/2000	<input type="checkbox"/>	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			Two outfalls to wetland bottom channel. See repair project, 3266.	1/19/2007
3266	Centennial East Corp Ctr Flg 2 Multi-		<input checked="" type="checkbox"/> 9/30/2004	<input checked="" type="checkbox"/> 9/30/2004	<input checked="" type="checkbox"/> 1/19/2007	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			Windmill Creek channel & trail repairs, plus one new outfall to correct original project (see 2611).	1/19/2007
2812	Centennial East Corp Ctr Windmill C		<input checked="" type="checkbox"/> 8/8/2001	<input checked="" type="checkbox"/> 8/8/2001	<input checked="" type="checkbox"/> 1/19/2007	<input checked="" type="checkbox"/> 1/19/2007	30-5S-66W			Two outfalls to wetland bottom channel.	1/19/2007
1394	Country Club Estates	W-3	<input checked="" type="checkbox"/> 8/17/1994	<input checked="" type="checkbox"/> 2/8/1995	<input checked="" type="checkbox"/> 8/26/1996	<input checked="" type="checkbox"/> 5/6/1999	19-5S-66W	3+00 7+00	Lone Tree et. al. OSP	10/1/96: A fence has been constructed across the maint. trail south of Fair Ave. 5/6/99: gates have been installed to accommodate access.	10/1/1996
1118	Dove Creek Roadways	W-5	<input checked="" type="checkbox"/> 10/30/1990	<input checked="" type="checkbox"/> 10/30/1990	<input checked="" type="checkbox"/> 6/4/1991	<input type="checkbox"/>	31-5S-66W	8+50 8+75	Windmill OSP	Storm sewer outlet only.	6/14/1991
139	Dove Valley		<input type="checkbox"/> 12/18/1986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31-5S-66W				12/6/1988
2572	Dove Valley III Apartments Phase I		<input checked="" type="checkbox"/> 3/24/2000	<input checked="" type="checkbox"/> 3/24/2000	<input checked="" type="checkbox"/> 8/26/2004	<input checked="" type="checkbox"/> 8/26/2004	31-5S-66W			one storm sewer outfall through existing wingwall	8/26/2004
1081	Dove Valley Roadways	W-5	<input checked="" type="checkbox"/> 8/10/1990	<input checked="" type="checkbox"/> 10/30/1990	<input checked="" type="checkbox"/> 6/4/1991	<input type="checkbox"/>	31-5S-66W	5+50 7+50	Lonetree OSP	Road crossing downstream of detention pond.	6/14/1991
1119	Dove Valley Roadways		<input checked="" type="checkbox"/> 10/30/1990	<input checked="" type="checkbox"/> 10/30/1990	<input checked="" type="checkbox"/> 6/4/1991	<input type="checkbox"/>	36-5S-67W	184+00 185+00	Windmill OSP	Storm sewer outlet only	6/14/1991
2176	Educational Services Center (Cherry	WC-4	<input checked="" type="checkbox"/> 4/21/1997	<input checked="" type="checkbox"/> 8/26/1997	<input checked="" type="checkbox"/> 6/30/2000	<input checked="" type="checkbox"/> 8/15/2002	30-5S-66W	0+00 17+00	Lone Tree OSP	Part of Detention Pond W-7 and some channel.	8/15/2002
2152	Educational Services Center (Cherry		<input checked="" type="checkbox"/> 4/21/1997	<input checked="" type="checkbox"/> 8/26/1997	<input checked="" type="checkbox"/> 6/30/2002	<input checked="" type="checkbox"/> 8/15/2002	30-5S-66W	116+00 121+00	Lone Tree OSP	Part of Detention Pond W-7 and some channel.	8/15/2002
1393	Greens at Cherry Creek		<input checked="" type="checkbox"/> 7/2/1997	<input checked="" type="checkbox"/> 10/27/1997	<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 4/13/2000	19-5S-66W	52+00 71+00	Lone Tree et. al. OSP	Detention pond and channel.	4/13/2000
815	Jordan Arapahoe Ltd.		<input type="checkbox"/> 10/22/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W	156+00 164+00	Windmill Cr. OSP		10/23/1987
3167	Jordan Road Closure Project		<input checked="" type="checkbox"/> 9/4/2003	<input checked="" type="checkbox"/> 9/4/2003	<input checked="" type="checkbox"/> 11/15/2004	<input checked="" type="checkbox"/> 7/20/2007	19-5S-66W			CDOT plans including CBC stream crossing structure.	7/20/2007
3340	Peoria Street Extension Project		<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 3/6/2001	<input checked="" type="checkbox"/> 5/18/2005	<input checked="" type="checkbox"/> 5/18/2005	36-5S-67W			Joint Douglas & Arapahoe Counties project. D/s connects to Centennial Airport regional detention pond.	5/18/2005
169	St. Lukes Hospital		<input checked="" type="checkbox"/> 4/8/1985	<input type="checkbox"/> 9/8/1988	<input type="checkbox"/>	<input type="checkbox"/>	30-5S-66W			Major Channelization proposed w/drops; tributary to Cherry Creek...	9/8/1988
1651	Waterbury Estates Filing No. 2	W-3	<input checked="" type="checkbox"/> 6/8/1998	<input checked="" type="checkbox"/> 6/8/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 7/25/2003	19-5S-66W		Lone Tree OSP	New alignment for this trib.	7/25/2003
1650	Waterbury Estates Filing No. 2		<input checked="" type="checkbox"/> 6/8/1998	<input checked="" type="checkbox"/> 6/8/1998	<input checked="" type="checkbox"/> 3/8/2000	<input checked="" type="checkbox"/> 7/25/2003	19-5S-66W	48+50 53+50	Lone Tree OSP	7/9/97: Many problems.	7/25/2003
1572	Waterbury Estates@ Cherry Creek Fil	W-3	<input type="checkbox"/> 2/27/1995	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24-5S-67W			Final plat.	2/27/1995
3604	Windmill Creek Pond W-1	W-1	<input checked="" type="checkbox"/> 8/30/2011	<input checked="" type="checkbox"/> 12/27/2011	<input checked="" type="checkbox"/> 7/29/2015	<input type="checkbox"/>	36-5S-67W	8+00 10+00	Lone Tree, Windmill OSP	in Centennial Airport area. Added Design acceptance date on 5/6/2015. Inspected 7/29/15; reveg & weed management issues.	7/29/2015

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3466	Windmill Creek Pond W-4		<input checked="" type="checkbox"/> 10/10/2006	<input checked="" type="checkbox"/> 8/27/2007	<input type="checkbox"/>	<input type="checkbox"/>	36-5S-67W	183+00 217+00	Lone Tree OSP	Regional pond and channel improvements. 10/10/06; plans & rpt. Updated to MAINTENANCE INELIGIBLE from Mallory letter dated 8/11/2008.	5/6/2015
3366	Windmill Creek Pond W-5 Retrofit	W-5	<input checked="" type="checkbox"/> 9/7/2005	<input checked="" type="checkbox"/> 12/9/2009	<input checked="" type="checkbox"/> 1/31/2011	<input checked="" type="checkbox"/> 6/22/2015	31-5S-66W	8+00 10+00	Lone Tree, Windmill OSP	Existing pond retrofitted for WQ (see 1023). Reapproved previous (11/8/05).	6/22/2015
3312	Windmill Creek Pond W-9 Retrofit	W-2	<input checked="" type="checkbox"/> 4/14/2005	<input checked="" type="checkbox"/> 5/24/2005	<input checked="" type="checkbox"/> 7/19/2007	<input checked="" type="checkbox"/> 7/19/2007	24-5S-67W	21+00 25+00	Lone Tree, Windmill & Dove Creeks OSP	WQ retrofit for ACWWA, see 2351. 2/3/05; plans & rpt. 4/14/05; plans & rpt. Associated with Villages at Centennial, aka Castlewood Filing 12. See also 3456	7/19/2007

Legend

- 1/1/95 Concept, design or construction approved as of the given date.
- 1/1/95 Concept, design or construction reviewed but not approved as of the given date.
- Concept, design, construction or final eligibility not yet considered.
- 1/1/95 Project not eligible for District maintenance assistance as of the given date.
- 1/1/95 **Project eligible for District maintenance assistance as of the given date.**