

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
-------	--------------	-----------	---------------------	--------------------	----------------------	----------------------	----------	---------------------	----------------------	----------	----------------

**Urban Drainage and Flood Control District Maintenance Eligibility Program  
Status of Projects by Local Government**

**Denver**

10-Sep-2015

**BEAR CREEK**

3646	Bear Creek Pedestrian Bridge by Sher		<input type="checkbox"/> 7/30/2012	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36-4S-69W		Bear Creek FHAD	crossing, comments 8/23/12	10/30/2012
3600	Bear Creek Trail		<input type="checkbox"/> 10/22/2009	<input checked="" type="checkbox"/> 5/4/2011	<input checked="" type="checkbox"/> 7/10/2012	<input checked="" type="checkbox"/> 7/9/2013	35,36-4S-69W		Bear Creek FHAD	ph 1 Fenton to Lamar, ph 2 Wadsworth to Pierce St, two outfalls and some riprap bank protection.	7/9/2013
2762	Bear Creek Valley Park Condominiu		<input checked="" type="checkbox"/> 7/13/2001	<input checked="" type="checkbox"/> 7/13/2001	<input type="checkbox"/>	<input type="checkbox"/>	31-4S-69W				8/14/2001
3447	Bear Valley McDonald's		<input checked="" type="checkbox"/> 5/2/2007	<input checked="" type="checkbox"/> 5/2/2007	<input checked="" type="checkbox"/> 7/8/2008	<input checked="" type="checkbox"/> 7/2/2012	36-4S-69W			One outfall to left overbank area.	7/2/2012
3010	Bear Valley Park Apartments		<input checked="" type="checkbox"/> 8/20/2002	<input checked="" type="checkbox"/> 8/20/2002	<input checked="" type="checkbox"/> 7/10/2007	<input checked="" type="checkbox"/> 7/10/2007	36-4S-69W			One storm sewer outfall.	7/16/2007
2997	Christ Baptist Church		<input checked="" type="checkbox"/> 3/7/2002	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-4S-69W			One storm sewer outfall	6/19/2002
3609	Dartmouth Outfall to Bear Creek		<input type="checkbox"/>	<input checked="" type="checkbox"/> 12/20/2011	<input type="checkbox"/>	<input type="checkbox"/>	36-4S-69W		Bear Creek FHAD	one outfall	12/20/2011
3736	Marston Lake Outlet Works	Marston Lake North	<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/30/2014	<input type="checkbox"/>	<input type="checkbox"/>	12,0,0-5S-69W; 0,0,0--	84+10 87+10	2012 Marston Lake North Drainageway	6/17/2014: Review & Comment 7/30/2014: Approved design	7/30/2014
2541	Marston Villas	Marston Lake North	<input checked="" type="checkbox"/> 1/25/2000	<input checked="" type="checkbox"/> 1/25/2000	<input type="checkbox"/>	<input type="checkbox"/>	10-5S-69W			one outfall to drainageway	1/25/2000
3162	Osito Ridge		<input checked="" type="checkbox"/> 9/5/2003	<input checked="" type="checkbox"/> 9/5/2003	<input type="checkbox"/>	<input type="checkbox"/>	36-4S-69W			One outfall to right overbank area. 5/5/03; plans. 8/25/03; plans, previous comments were lost.	9/5/2003
1647	Pedestrian Bridge over Bear Creek		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 7/8/1991	<input checked="" type="checkbox"/> 7/24/1995	36-4S-69W			Incomplete file. Design approval missing.	7/24/1995
937	Quincy Shores/Southwest Autopark	Marston Lake North	<input checked="" type="checkbox"/> 6/16/1989	<input checked="" type="checkbox"/> 6/16/1989	<input checked="" type="checkbox"/> 1/26/1990	<input checked="" type="checkbox"/> 6/7/1999	10,11-5S-69W	180+00 182+00	Marston Lake North FHAD	Open channel & sedimentation pond extend U/S of 182+00. 6/7/99: after-the-fact elig. Cert. Since we are maintaining and it's revegetated.	6/7/1999
925	Quincy Shores/Southwest Autopark	Marston Lake North	<input type="checkbox"/> 8/30/1988	<input type="checkbox"/> 8/30/1988	<input type="checkbox"/> 8/30/1988	<input type="checkbox"/> 8/30/1988	10,11-5S-69W	142+00 180+00	Marston Lake North FHAD	Box culvert not eligible.	1/29/1990
3539	S Lowell Boulevard Outfall Storm Dr		<input type="checkbox"/> 10/13/2009	<input checked="" type="checkbox"/> 1/5/2010	<input checked="" type="checkbox"/> 7/11/2012	<input type="checkbox"/>	5-5S-68W			One storm sewer outfall.	7/11/2012
3607	Wadsworth Bridge Replacement (Den		<input type="checkbox"/> 9/26/2011	<input checked="" type="checkbox"/> 10/13/2011	<input checked="" type="checkbox"/> 11/7/2013	<input type="checkbox"/>	35-4S-69W			two outfalls, Denver side of improvements, see 3597 for Lakewood side	11/7/2013

**BOX ELDER CREEK**

2607	DIA Hayesmount Tributary	Upper Hayesmount	<input checked="" type="checkbox"/> 5/30/2000	<input type="checkbox"/> 5/30/2000	<input type="checkbox"/>	<input type="checkbox"/>	14-2S-65W			Regional detention pond	5/30/2000
------	--------------------------	------------------	---	------------------------------------	--------------------------	--------------------------	-----------	--	--	-------------------------	-----------

**CHERRY CREEK**

3477	12th Ave & Cherry Creek D-7 Bike R		<input checked="" type="checkbox"/> 11/7/2006	<input checked="" type="checkbox"/> 11/7/2006	<input checked="" type="checkbox"/> 7/14/2008	<input checked="" type="checkbox"/> 7/2/2012	3-3S-68W			Bike access ramp.	7/2/2012
2976	12th Avenue & Elati Street Storm Se		<input checked="" type="checkbox"/> 4/24/2002	<input checked="" type="checkbox"/> 4/24/2002	<input type="checkbox"/>	<input type="checkbox"/>	3-4S-68W			One outfall to Cherry Creek	4/29/2002
3694	360 South Monroe Street Apartments		<input type="checkbox"/> 11/20/2013	<input checked="" type="checkbox"/> 2/13/2014	<input checked="" type="checkbox"/> 5/20/2015	<input type="checkbox"/>	13-4S-68W			One storm sewer outfall. Design Change #1 approved 4/14/2014 for realignment of conduit and outfall	5/20/2015

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2825	Archstone Commons		<input checked="" type="checkbox"/> 8/24/2001	<input checked="" type="checkbox"/> 3/13/2002	<input checked="" type="checkbox"/> 6/18/2002	<input type="checkbox"/>	33-3S-68W			11/26/01 need floodway determination. 11/30/01; new proposal, no floodway problem, but using 4-12 inch pipes. 1/25/02; same problems. 3/7/02: 4-15-inch pipes, headwall probs.	6/24/2002
2713	Bernie Valdez Hispanic Center		<input checked="" type="checkbox"/> 11/7/2000	<input type="checkbox"/> 11/7/2000	<input type="checkbox"/>	<input type="checkbox"/>	3-4S-68W			one storm sewer outfall	11/7/2000
3682	CCN Cherry Creek North University		<input checked="" type="checkbox"/> 7/18/2013	<input checked="" type="checkbox"/> 7/18/2013	<input checked="" type="checkbox"/> 7/22/2015	<input type="checkbox"/>	12-4S-68W		Cherry Creek FHAD	University and Josephine reconstruction, 1st to 6th Ave. Design Change #1 changed 14' x 5' RCBC to a 90-inch CCFRPMP (HOBAS pipe).	7/22/2015
2716	Central Platte Valley Light Rail Trans		<input checked="" type="checkbox"/> 11/1/2000	<input checked="" type="checkbox"/> 11/1/2000	<input type="checkbox"/>	<input type="checkbox"/>	33-3S-68W			one storm sewer outfall	11/8/2000
3000	Cherry Creek Mixed Use Phase II (Se		<input checked="" type="checkbox"/> 6/5/2002	<input checked="" type="checkbox"/> 6/5/2002	<input type="checkbox"/>	<input type="checkbox"/>	11-4S-68W			One storm sewer outfall	6/19/2002
3565	Cherry Creek outfall at Vale Dr		<input type="checkbox"/> 8/9/2010	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18-4S-67W			One storm sewer outfall.	11/29/2010
2799	Cherry Creek Trail Upgrades		<input checked="" type="checkbox"/> 5/22/2001	<input checked="" type="checkbox"/> 5/22/2001	<input type="checkbox"/>	<input type="checkbox"/>	21,28-4S-67W				6/18/2001
3735	Cherry Tree Estates		<input type="checkbox"/>	<input checked="" type="checkbox"/> 6/28/2014	<input type="checkbox"/>	<input type="checkbox"/>	21,0,0-4S-67W; 0,0,0--	423+00 439+00	2013 Cherry Creek FHAD	6/16/2014: Final comments 6/28/2014: Design Approval of two outfalls to Cherry Creek	6/28/2014
2998	Colorado Convention Center Expansi		<input checked="" type="checkbox"/> 5/13/2002	<input checked="" type="checkbox"/> 7/8/2002	<input checked="" type="checkbox"/> 10/9/2007	<input checked="" type="checkbox"/> 10/9/2007	34-3S-68W			3/12/02; plans & rpt. 5/9/02; plans & rpt.. 5/13/02; plans & rpt. 6/5/02; plans & rpt. 6/17/02; plans & rpt. 7/8/20; revised plans & rpt. One storm sewer outfall.	10/9/2007
2730	Denver Health & Hospital Auth SP-0		<input checked="" type="checkbox"/> 1/30/2001	<input checked="" type="checkbox"/> 1/30/2001	<input type="checkbox"/>	<input type="checkbox"/>	3-4S-68W			One storm sewer outfall. 12/6/00; const plans, incomplete submittal	2/8/2001
3476	Golden Triangle Storm Drain		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 11/19/2007	<input checked="" type="checkbox"/> 7/22/2013	11-4S-68W			Cherry Creek at 14th street. After-the-fact review of one storm sewer outfall.	7/22/2013
3764	Hampden Heights Phase III	Oppenheimer Trib	<input type="checkbox"/>	<input type="checkbox"/> 11/3/2014	<input type="checkbox"/>	<input type="checkbox"/>	34,0,0-4S-67W; 0,0,0--	589+30 593+00	2011 Cherry Creek Stabilization Plan	11/3/2014: Returned comments (Bioretention not eligible/Outfall eligible)	11/3/2014
3527	Hampden Heights, Phase I		<input checked="" type="checkbox"/> 11/30/2009	<input checked="" type="checkbox"/> 11/30/2009	<input checked="" type="checkbox"/> 3/14/2012	<input type="checkbox"/>	34-4S-67W			one storm sewer outfall, channel work to Cherry Ck	3/14/2012
2005	I-225 and Cherry Creek Bikeway		<input type="checkbox"/> 10/20/1995	<input type="checkbox"/> 10/20/1995	<input type="checkbox"/>	<input type="checkbox"/>	35-4S-67W; 2-5S-67W	615+00 619+00	Cherry Creek FHAD		10/23/1995
3834	Kennedy Ball Field Outfall		<input type="checkbox"/>	<input checked="" type="checkbox"/> 9/4/2015	<input type="checkbox"/>	<input type="checkbox"/>	35,0,0-4S-67W; 0,0,0--			Single pipe outfall to Cherry Creek Returned comments: 7/23/2015 Design Approved: 9/4/2015	9/4/2015
3637	Kennedy Golf Course		<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/10/2012	<input type="checkbox"/>	<input type="checkbox"/>	35-4S-66W; 2-5S-66W	535+00 596+00	Cherry Creek FHAD	one outfall	7/19/2012
1213	Kennedy Golf Course		<input type="checkbox"/> 11/10/1992	<input type="checkbox"/> 11/10/1992	<input type="checkbox"/>	<input type="checkbox"/> 8/16/1995	34,35-4S-66W; 2-5S-66W	535+00 596+00	Cherry Creek FHAD	Built.	8/16/1995
3244	Lafayette Street Sorm Sewer		<input checked="" type="checkbox"/> 7/28/2004	<input checked="" type="checkbox"/> 7/28/2004	<input checked="" type="checkbox"/> 11/6/2007	<input checked="" type="checkbox"/> 11/6/2007	11-4S-68W			One storm sewer outfall.	11/6/2007
3042	Oak Park at Cherry Creek		<input checked="" type="checkbox"/> 10/2/2002	<input checked="" type="checkbox"/> 10/2/2002	<input checked="" type="checkbox"/> 7/15/2004	<input checked="" type="checkbox"/> 1/24/2006	20-4S-67W			one storm sewer outfall	1/24/2006
2032	One Polo Club		<input type="checkbox"/> 9/26/1995	<input type="checkbox"/> 9/26/1995	<input type="checkbox"/>	<input type="checkbox"/> 1/10/1996	12-4S-68W			One storm sewer outlet. Built. Design never approved. Supposedly privately owned. Don't know how that works.	1/10/1996
1377	Oppenheimer Remote Parking Lot Ch	Oppenheimer Trib.	<input checked="" type="checkbox"/> 8/10/1993	<input checked="" type="checkbox"/> 10/21/1993	<input type="checkbox"/> 1/25/1994	<input type="checkbox"/> 1/25/1994	34-4S-67W			Fence blocks access to channel.	8/16/1995

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
922	Outfall Struc. on Cherry Cr. E. of Hav		<input type="checkbox"/> 9/17/1987	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35-4S-67W	573+00 573+50	Cherry Creek FHAD	Storm sewer outfall never submitted for maint. eligibility.	3/28/1988
3585	S Forest Street Outfall		<input type="checkbox"/> 1/7/2011	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-4S-67W			one storm sewer outfall Feb 2015: Denver resurrected the project	5/16/2011
3180	Speer Boulevard Lofts		<input checked="" type="checkbox"/> 10/7/2003	<input checked="" type="checkbox"/> 10/7/2003	<input checked="" type="checkbox"/> 11/6/2007	<input checked="" type="checkbox"/> 11/6/2007	3-4S-68W			One storm sewer outfall.	11/6/2007
<b>COON CREEK</b>											
1983	South West Crossing II		<input checked="" type="checkbox"/> 10/6/1997	<input checked="" type="checkbox"/> 11/13/1997	<input type="checkbox"/>	<input type="checkbox"/>	15-5S-69W	157+50 165+50	Dutch Creek FHAD	2/29/96: This channel approved as Southwest Commons in 1991. See #982. This proposal would invalidate previous approval. 8/26/97: Still a problem. 10/6/97: Better but still needs work.	11/13/1997
364	Southwest Commons		<input checked="" type="checkbox"/> 8/22/1986	<input checked="" type="checkbox"/> 3/30/1987	<input checked="" type="checkbox"/> 12/1/1988	<input checked="" type="checkbox"/> 10/15/1991	15-5S-69W	142+00 157+50	Dutch Creek FHAD		10/16/1991
982	Southwest Commons		<input checked="" type="checkbox"/> 8/22/1986	<input checked="" type="checkbox"/> 3/30/1987	<input checked="" type="checkbox"/> 10/15/1991	<input checked="" type="checkbox"/> 10/15/1991	15-5S-69W	157+50 165+50	Dutch Creek FHAD		10/16/1991
<b>DRY GULCH</b>											
3627	RTD West -Parking 10th & Sheridan		<input type="checkbox"/> 6/11/2012	<input checked="" type="checkbox"/> 7/3/2013	<input checked="" type="checkbox"/> 10/10/2013	<input type="checkbox"/>	6-4S-68W		Dry Gulch FHAD	one outfall, initial app 8/22/12, reapproved 7/3/13	10/10/2013
3574	RTD West Sheridan Blvd to Perry St		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/7/2011	<input checked="" type="checkbox"/> 11/15/2012	<input type="checkbox"/>	6-4S-68W		Dry Gulch FHAD	East and West Dry Gulch bridges, Drop structure No.4 and riprap bank protection. 6/24/15 Inspected for revegetation/weed management; not ready for CME at this time.	6/24/2015
<b>FIRST CREEK</b>											
3799	61st & Pena Station	Blue Grama Draw	<input type="checkbox"/>	<input checked="" type="checkbox"/> 8/17/2015	<input type="checkbox"/>	<input type="checkbox"/>	9,0,0-3S-66W; 0,0,0--		none	Blue Grama Draw Channel improvements Returned comments: 3/16/2015; 5/27/2015 (mtg); 6/12/2015; 7/15/2015; 7/28/2015 (minor) Approved 8/17/2015	8/17/2015
3734	Aviation Station Blue Grama pond	Blue Grama Draw	<input type="checkbox"/> 10/30/2012	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-3S-66W		First Creek OSP	Blue Grama Pond	6/11/2014
1310	Denver Gateway Center Joint Venture	Blue Grama Draw	<input type="checkbox"/> 1/5/1993	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-3S-66W	49+00 76+00	First Creek OSP	Dirt farming.	1/6/1993
3825	DIBC F5-Dogwood Gulch & Reg Pon	Dogwood Gulch	<input type="checkbox"/>	<input type="checkbox"/> 8/21/2015	<input type="checkbox"/>	<input type="checkbox"/>	4,0,0-3S-66W; 0,0,0--		2010 First Creek Upper MDP	Regional Detention as 2 basins in series (Pond 812/8412) eligible-U/S trib area too small to consider channel improvements for MEP; Phase 1 only building D/S Basin Comments Returned-6/15/2015, 8/21/2015	8/21/2015
1595	First Creek at Green Valley Ranch		<input checked="" type="checkbox"/> 12/30/1994	<input checked="" type="checkbox"/> 8/15/1995	<input checked="" type="checkbox"/> 1/27/1997	<input type="checkbox"/>	23-3S-66W	881+00 890+00	First Creek MP (1977)	Two drop structures and two strom sewer outlets.	1/27/1997
3771	First Creek bridge FasTracks		<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/19/2012	<input type="checkbox"/>	<input type="checkbox"/>	9-3S-66W		First Creek OSP	FasTracks Eagle P3 EC3E, CRT crossing at First Creek	12/5/2014
3097	First Creek Subdivision Filing 1	Blue Grama Draw	<input checked="" type="checkbox"/> 1/22/2003	<input checked="" type="checkbox"/> 1/22/2003	<input checked="" type="checkbox"/> 7/14/2008	<input type="checkbox"/> 7/14/2008	10-3S-66W			Regional Detention Pond 826, see Gateway master plan update. 9/24/02; plans & rpt. 11/20/02; plans & rpt. Repair list.	7/14/2008
31	Green Valley Ranch		<input checked="" type="checkbox"/> 4/25/1986	<input checked="" type="checkbox"/> 6/12/1986	<input checked="" type="checkbox"/> 10/14/1987	<input type="checkbox"/> 10/14/1987	23-3S-66W	865+00 881+00	First Creek MP	Design is in 4 phases... Eligibility pending establishment of vegetation and resolution of upstream transition problems.	4/10/1995
3285	Green Valley Ranch 42nd Ave at First		<input checked="" type="checkbox"/> 11/9/2004	<input checked="" type="checkbox"/> 11/9/2004	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W	945+00 945+00	First Creek OSP	6/10/04; plans & rpt.	11/9/2004

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3246	Green Valley Ranch Filing 42		<input checked="" type="checkbox"/> 7/28/2004	<input checked="" type="checkbox"/> 7/28/2004	<input type="checkbox"/>	<input type="checkbox"/>	15-3S-66W			One storm sewer outfall from WQ pond, right bank upstream of Dunkirk Street.	8/4/2004
2522	Green Valley Ranch Filing No. 24		<input checked="" type="checkbox"/> 11/23/1999	<input checked="" type="checkbox"/> 3/23/2000	<input checked="" type="checkbox"/> 8/13/2001	<input type="checkbox"/>	23-3S-66W			Four storm sewer outfalls.	9/13/2001
2532	Green Valley Ranch Filing No. 29		<input checked="" type="checkbox"/> 1/6/2000	<input checked="" type="checkbox"/> 3/24/2000	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W			1/6/00: final drainage & plans, one outfall.	4/3/2000
2967	Green Valley Ranch Filing No. 35		<input checked="" type="checkbox"/> 4/8/2002	<input checked="" type="checkbox"/> 4/8/2002	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-66W			One detention pond outfall to First Creek	4/24/2002
3009	Green Valley Ranch Filing No. 37		<input checked="" type="checkbox"/> 8/20/2002	<input checked="" type="checkbox"/> 8/6/2003	<input type="checkbox"/>	<input type="checkbox"/>	15-3S-66W	740+00 755+00	First Creek OSP	Two storm sewer outfalls and floodplain encroachment. See record 3001. 8/20/02; plans & rpt. 10/22/02; plans & rpt. 6/26/03; plans & rpt.	8/6/2003
3200	Green Valley Ranch Filing No. 52		<input checked="" type="checkbox"/> 10/27/2003	<input checked="" type="checkbox"/> 3/8/2004	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W			1/29/04; plans approved for two outfalls. 3/8/04; plans reapproved for one outfall.	3/8/2004
3427	Green Valley Ranch Filing No. 62		<input checked="" type="checkbox"/> 12/14/2006	<input checked="" type="checkbox"/> 12/14/2006	<input type="checkbox"/>	<input type="checkbox"/>	15-3S-66W	740+00 755+00	First Creek OSP	One storm sewer outfall and floodplain encroachment. See record 3001.	12/14/2006
2463	Green Valley Ranch Golf Course		<input checked="" type="checkbox"/> 2/23/2000	<input checked="" type="checkbox"/> 8/25/2000	<input checked="" type="checkbox"/> 5/9/2001	<input type="checkbox"/>	14,15-3S-66W	755+00 781+00	First Creek OSP	See also 2464 7/5/00; Development GDP is ok.	5/18/2001
3001	Green Valley Ranch Lower First Cree		<input checked="" type="checkbox"/> 4/10/2003	<input checked="" type="checkbox"/> 5/22/2007	<input checked="" type="checkbox"/> 2/12/2008	<input type="checkbox"/>	15-3S-66W	718+00 755+00	First Creek OSP	Dunkirk to Tower Road 3/20/02; plans. 7/24/02; CLOMR, const plans, need report. 4/10/03; plans & rpt. 6/14/05; plans.	2/12/2008
3281	Green Valley Ranch RV Storage Site		<input checked="" type="checkbox"/> 11/4/2004	<input checked="" type="checkbox"/> 11/4/2004	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W			One WQ outfall.	11/4/2004
3478	Green Valley Ranch Tower Road Brid		<input checked="" type="checkbox"/> 6/20/2008	<input checked="" type="checkbox"/> 6/20/2008	<input type="checkbox"/>	<input type="checkbox"/>	15-3S-66W			2/17/04; reviewed single outfall to First Creek. 10/11/07; plans & rpt. 11/15/07 reviewed bridge at First Creek plans & rpt. 1/14/08; plans & rpt. Approval is for WQ outfall only.	6/20/2008
3432	Highline Canal Pedestrian Bridge		<input checked="" type="checkbox"/> 6/1/2006	<input checked="" type="checkbox"/> 1/9/2007	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W		First Creek OSP	Pedestrian bridge spanning 100-year FP. 3/17/06; floodplain study. 6/1/06; plans.	1/9/2007
3509	Tower Professional Park	Blue Grama Draw	<input type="checkbox"/> 10/15/2008	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10,0,0-3S-66W; 0,0,0--			10/15/08: The relationship to Pond 826 is unclear. No drainage report provided.	11/24/2008
2317	Tower Road, 56th Ave. to Pena Blvd.	Dogwood West	<input checked="" type="checkbox"/> 6/30/1998	<input checked="" type="checkbox"/> 8/6/1998	<input checked="" type="checkbox"/> 3/6/2001	<input type="checkbox"/>	3-3S-66W	160+00 160+00	First Creek OSP	Design discharge based on Gateway drainage plan, see also 2318 & 2319	3/27/2001
2318	Tower Road, 56th Ave. to Pena Blvd.	Blue Grama Draw	<input checked="" type="checkbox"/> 6/30/1998	<input checked="" type="checkbox"/> 8/6/1998	<input checked="" type="checkbox"/> 3/6/2001	<input type="checkbox"/>	10-3S-66W	48+00 48+00	First Creek OSP	Design discharge based on Gateway drainage plan, see also 2317 & 2319.	3/27/2001
<b>FIRST CREEK TRIB T</b>											
3711	Green Valley Ranch Filing 39		<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/15/2014	<input type="checkbox"/>	<input type="checkbox"/>	14,0,0-3S-66W; 0,0,0--	26+00 36+00	2011 First Creek FHAD	03/26/14-Review comments; 5/15/14-Outfall from WQ Pond #1 & #3 des approved	5/15/2014
2968	Green Valley Ranch Filing No. 35		<input checked="" type="checkbox"/> 4/8/2002	<input checked="" type="checkbox"/> 4/8/2002	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-66W			Two detention pond outfalls and one roadway crossing	4/24/2002
3008	Green Valley Ranch Filing No. 36		<input checked="" type="checkbox"/> 9/9/2002	<input checked="" type="checkbox"/> 9/9/2002	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-66W			Four storm sewer outfalls. 7/24/02; Construction plans & rpt.	9/20/2002
3179	Green Valley Ranch Filing No. 46		<input checked="" type="checkbox"/> 8/26/2003	<input checked="" type="checkbox"/> 8/26/2003	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-66W	40+00 40+00	First Creek OSP	One storm sewer outfall.	8/26/2003
2464	Green Valley Ranch Golf Course		<input checked="" type="checkbox"/> 2/23/2000	<input checked="" type="checkbox"/> 8/25/2000	<input checked="" type="checkbox"/> 5/9/2001	<input type="checkbox"/>	14,15-3S-66W	0+00 74+00	First Creek OSP	See also 2463 7/5/00; Development GDP is ok.	5/18/2001
3380	Green Valley Ranch Picadilly Road		<input checked="" type="checkbox"/> 3/27/2006	<input checked="" type="checkbox"/> 6/7/2006	<input type="checkbox"/>	<input type="checkbox"/>	23-3S-66W			1/4/06; plans & rpt. 3/27/06; plans & rpt.	6/7/2006

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE	
<b>GOLDSMITH GULCH</b>												
3563	S Holly and Pacific Pl Outfall		<input checked="" type="checkbox"/> 10/19/2010	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29-4S-67W			One storm sewer outfall.	11/29/2010	
3610	Target at Tamarac Square		<input checked="" type="checkbox"/> 12/1/2011	<input checked="" type="checkbox"/> 12/1/2011	<input checked="" type="checkbox"/> 7/29/2013	<input checked="" type="checkbox"/> 7/29/2013	33-4S-67W		Goldsmith FHAD	five outfalls to existing channel	7/29/2013	
<b>HARVARD GULCH</b>												
2042	Georgetown Terrace		<input checked="" type="checkbox"/> 5/23/1996	<input checked="" type="checkbox"/> 5/23/1996	<input type="checkbox"/>	<input type="checkbox"/>	25-4S-68W			Two storm sewers into Havard Gulch.	5/23/1996	
3536	S Gaylord Street outfall		<input type="checkbox"/> 10/8/2009	<input checked="" type="checkbox"/> 12/7/2009	<input type="checkbox"/>	<input type="checkbox"/>	35-4S-68W			One storm sewer into Havard Gulch.	2/15/2010	
3733	Schlessman YMCA		<input type="checkbox"/> 10/8/2009	<input checked="" type="checkbox"/> 2/13/2014	<input type="checkbox"/>	<input type="checkbox"/>	25-4S-68W			One 12 " storm sewer into Havard Gulch. Design Approval originally issued December 2009. Reissued Design Approval Feb 2014.	7/7/2014	
<b>IRONDALE GULCH</b>												
3770	Blue Grama and Dogwood pond FasT	Blue Grama Draw	<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	4,9-3S-66W			Blue Grama Draw and Dogwood West Gulch det pond modifications, FasTracks Eagle P3 EC3E, pond inlets with grouted boulders, confirm grading volume, also 3769	12/5/2014	
3769	Blue Grama and Dogwood pond FasT	Dogwood West Gulc	<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	4,9-3S-66W			Blue Grama Draw and Dogwood West Gulch det pond modifications, FasTracks Eagle P3 EC3E, pond inlets with grouted boulders, confirm grading volume, also 3770	12/5/2014	
3641	Bolling Channel completion SCMD	Bolling Drive	<input type="checkbox"/> 7/19/2012	<input checked="" type="checkbox"/> 9/11/2012	<input checked="" type="checkbox"/> 9/5/2013	<input type="checkbox"/>	21-3S-66W		Irondale OSP	4 structures, see 3642, comments 7/19/12, Sand Creek Metro District. Denver filed in Aurora Folder	9/5/2013	
1220	Chambers-Tower	Bolling Dr. Tributary	<input type="checkbox"/> 12/13/1991	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20-3S-66W	258+00	310+00	Irondale Gulch OSP	12/30/1991	
3433	CP Bedrock Filing 1	Highline Lateral	<input checked="" type="checkbox"/> 1/9/2007	<input checked="" type="checkbox"/> 1/9/2007	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-66W			Irondale Gulch OSP	Three outfalls to existing channel (ID 1219). 6/20/06; plans & rpt.	1/9/2007
1219	Denver Connection Silverado I Pond	Highline Lateral	<input checked="" type="checkbox"/> 10/12/2005	<input checked="" type="checkbox"/> 3/6/2006	<input checked="" type="checkbox"/> 5/25/2011	<input checked="" type="checkbox"/> 5/25/2011	21-3S-66W	60+00	100+00	Irondale Gulch OSP	Silverado I Pond and channelization Tower Road to 48th Avenue. 12/13/91; drainage plan. 10/12/05; plans, no rpt. 1/5/06; plans & rpt. 2/14/06; plans & rpt.	5/25/2011
3830	Denver Public Schools-East Quad Ca	Tower Outfall	<input type="checkbox"/>	<input type="checkbox"/> 8/19/2015	<input type="checkbox"/>	<input type="checkbox"/>	0,0,0--; 0,0,0--	N/A	N/A	2011 Irondale Gulch OSP	42" Pipe outfall to Tower Outfall and Ped X-ing 14'x6' CBC Returned comments: 7/9/2015; 8/19/2015	8/19/2015
3570	DPS Far NE ECE Center	Bolling Dr. Tributary	<input checked="" type="checkbox"/> 1/31/2011	<input checked="" type="checkbox"/> 1/31/2011	<input type="checkbox"/>	<input type="checkbox"/>	18-3S-66W			Irondale Gulch OSP	one outfall to concrete channel	1/31/2011
3630	Eagle P3 EC3E Package 3	Bolling Drive	<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/2/2012	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-66W	325	350	Irondale OSP	Silverado Pond II mod. CRT crossing, outfalls	7/9/2012
2852	Gateway Elementary School at Parkfi	Tower Outfall	<input checked="" type="checkbox"/> 12/17/2001	<input checked="" type="checkbox"/> 12/17/2001	<input checked="" type="checkbox"/> 2/9/2004	<input checked="" type="checkbox"/> 5/5/2004	17-3S-66W			Irondale OSP	Two outfalls to wetlands channels	5/5/2004
3280	Gateway Park Bolling Drive Tributary	Bolling Drive	<input type="checkbox"/> 10/29/2004	<input type="checkbox"/> 10/29/2004	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-66W	320+00	350+00	Irondale OSP	10/29/04; plans & rpt.	11/3/2004
1339	Gateway Village	North Montbello	<input type="checkbox"/> 5/14/1997	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18-3S-66W	220+00	257+00	Irondale Gulch OSP	5/14/97: PBG and plat.	5/14/1997
3524	Green Valley Ranch E-12 Campus	Tower Outfall	<input checked="" type="checkbox"/> 5/21/2009	<input checked="" type="checkbox"/> 5/21/2009	<input checked="" type="checkbox"/> 2/8/2011	<input checked="" type="checkbox"/> 7/2/2012	16-2S-66W	172+00	235+00	Irondale Gulch OSP	Two outfalls to channel.	7/2/2012
3201	Highline Pond and Tower Outfall	Tower Outfall	<input checked="" type="checkbox"/> 3/5/2004	<input checked="" type="checkbox"/> 3/22/2004	<input type="checkbox"/>	<input type="checkbox"/>	16-2S-66W	172+00	235+00	Irondale Gulch OSP	GVR design across State Land Board property. 5/29/03; plans & rpt. 3/5/04; plans & rpt.	3/22/2004
3772	Highline Pond and Tower Outfall Fas	Tower Outfall	<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	16-3S-66W			Irondale Gulch OSP	FasTracks Eagle P3 East Corridor EC3E, modifications to existing channel, culvert, drop structure and channel work	12/5/2014

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE	
2930	Montbello Recreation Center at Parkfi	Tower Outfall	<input checked="" type="checkbox"/> 2/11/2002	<input checked="" type="checkbox"/> 2/11/2002	<input checked="" type="checkbox"/> 2/9/2004	<input type="checkbox"/> 5/5/2004	17-3S-66W			One storm sewer outfall to Parkfield Lake Forebay A. 11/26/01; const plans. 1/30/02; const plans & rpt.	5/5/2004	
3109	Parkfield Filing 12	Tower Outfall	<input checked="" type="checkbox"/> 2/12/2003	<input checked="" type="checkbox"/> 2/12/2003	<input checked="" type="checkbox"/> 12/31/2007	<input checked="" type="checkbox"/> 12/31/2007	17-3S-66W			SP-02-42, one storm sewer outfall to Wetlands Channel IR-2. Repair list-joint fasteners.	12/31/2007	
3062	Parkfield Filing 12, Channel outfall	Tower Outfall	<input checked="" type="checkbox"/> 9/25/2002	<input checked="" type="checkbox"/> 4/17/2003	<input checked="" type="checkbox"/> 12/31/2007	<input checked="" type="checkbox"/> 12/31/2007	17-3S-66W			SP-02-39, Tributary channel outfall to Wetlands Channel Phase I. 9/25/02; plans & report. 1/21/03; plans & rpt.	12/31/2007	
3239	Parkfield Filing 12, Highline Trail	Tower Outfall	<input checked="" type="checkbox"/> 7/13/2004	<input checked="" type="checkbox"/> 7/13/2004	<input checked="" type="checkbox"/> 12/31/2007	<input checked="" type="checkbox"/> 12/31/2007	17-3S-66W			Low flow crossing and overflow to High Line Lateral. 3/8/04; plans.	12/31/2007	
3092	Parkfield Filing 12, Memphis St. at I	Tower Outfall	<input checked="" type="checkbox"/> 1/16/2003	<input checked="" type="checkbox"/> 1/16/2003	<input checked="" type="checkbox"/> 2/9/2004	<input checked="" type="checkbox"/> 11/26/2007	17-3S-66W			Memphis Street crossing.	11/26/2007	
3311	Parkfield Filing 14	Tower Outfall	<input checked="" type="checkbox"/> 3/15/2005	<input checked="" type="checkbox"/> 5/3/2005	<input checked="" type="checkbox"/> 12/31/2007	<input checked="" type="checkbox"/> 12/31/2007	17-3S-66W			2004-0610, one storm sewer outfall to Wetlands Channel IR-2. 1/12/05; plans & rpt. 3/15/05; plans & rpt.	12/31/2007	
2685	Parkfield Filing 6	Tower Outfall	<input checked="" type="checkbox"/> 4/5/1999	<input checked="" type="checkbox"/> 8/31/2000	<input checked="" type="checkbox"/> 2/9/2004	<input checked="" type="checkbox"/> 7/15/2004	17-3S-66W			See also 746, 1217, 1218 & 2403. Five storm sewer outfalls.	7/22/2004	
746	Parkfield Lake	Tower Outfall	<input checked="" type="checkbox"/> 2/27/2002	<input checked="" type="checkbox"/> 2/27/2002	<input checked="" type="checkbox"/> 2/9/2004	<input type="checkbox"/> 5/5/2004	17-3S-66W			See also 1217, 1218 2403 & 2827. 7/2/99; reviewed forebays and outlet structure. 11/2/99; same issues. 11/21/01; concept questions on outlet and forebays.	5/5/2004	
3538	Parkfield Lake Park Phase III	Tower Outfall	<input type="checkbox"/> 11/13/2009	<input checked="" type="checkbox"/> 3/4/2010	<input checked="" type="checkbox"/> 3/1/2012	<input type="checkbox"/>	17-3S-66W			One outfall and spillway.	3/1/2012	
3061	Parkfield Wetland Channel IR-2 & IR	Tower Outfall	<input checked="" type="checkbox"/> 9/25/2002	<input checked="" type="checkbox"/> 2/6/2006	<input checked="" type="checkbox"/> 6/30/2008	<input type="checkbox"/>	17-3S-66W			4/5/05; plans and rpt. 10/12/05 plans & rpt. 1/10/06; plans, minor comments.	6/30/2008	
2403	Parkfield Wetland Channel Phase I	Tower Outfall	<input checked="" type="checkbox"/> 4/5/1999	<input checked="" type="checkbox"/> 8/31/2000	<input checked="" type="checkbox"/> 2/9/2004	<input checked="" type="checkbox"/> 7/15/2004	17-3S-66W			Major drainageways and outfalls, see also 746, 1217, 1218 & 2685. 1/25/99; mtg to discuss concepts. 4/5/99; cnct ok, plans need detail, SWMM needs refinement.	7/22/2004	
2827	Parkfield Wetland Channel Phase II	Tower Outfall	<input checked="" type="checkbox"/> 7/2/1999	<input checked="" type="checkbox"/> 12/3/2001	<input checked="" type="checkbox"/> 2/9/2004	<input type="checkbox"/> 5/5/2004	17-3S-66W			See also 746, 1217, 1218 & 2403.	5/5/2004	
2757	Parkfield Wetland Channel Phase III	Tower Outfall	<input checked="" type="checkbox"/> 5/23/2001	<input checked="" type="checkbox"/> 9/5/2001	<input checked="" type="checkbox"/> 2/9/2004	<input checked="" type="checkbox"/> 12/31/2007	17-3S-66W			2/12/01; const plans for phase III & High Line Lateral relocation.	12/31/2007	
1218	Parkfield, 56th Avenue Crossing	Tower Outfall	<input checked="" type="checkbox"/> 2/4/1999	<input checked="" type="checkbox"/> 4/27/2000	<input checked="" type="checkbox"/> 2/20/2004	<input checked="" type="checkbox"/> 2/20/2004	17-3S-66W	128+00	172+00	Irondale Gulch OSP	See also 746, 1217 & 2403. 2/4/99; const detail comments, trash rack problems. 7/12/99; minor details. Eligible due to Design and Construction program participation.	2/20/2004
1217	Parkfield, Parkfield II Pond	Tower Outfall	<input checked="" type="checkbox"/> 7/2/1999	<input checked="" type="checkbox"/> 4/27/2000	<input checked="" type="checkbox"/> 5/10/2001	<input checked="" type="checkbox"/> 5/5/2004	7-3S-66W	0+00	33+00	Irondale Gulch OSP	See also 746, 1218 & 2403.	5/5/2004
3773	Silverado I FasTracks	Highline Lateral	<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-66W			Irondale OSP	FasTracks Eagle P3 East Corridor EC3E, Silverado I pond modifications	12/5/2014
1260	UP Realty Co.	Bolling Drive	<input checked="" type="checkbox"/> 6/10/1992	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27-3S-66W	330+00	350+00	Irondale Gulch OSP		7/1/1992
<b>LAKWOOD GULCH</b>												
3267	Casa Dorada		<input checked="" type="checkbox"/> 10/7/2004	<input checked="" type="checkbox"/> 10/7/2004	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-68W				One storm sewer ourfall.	10/7/2004
2939	Casa Dorada		<input checked="" type="checkbox"/> 12/17/2001	<input checked="" type="checkbox"/> 12/17/2001	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-68W				One storm sewer ourfall.	2/22/2002
2590	Martinez Park		<input type="checkbox"/> 5/3/2000	<input type="checkbox"/> 5/3/2000	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-68W	95+00	102+00	Lakewood Gulch FHAD	5/3/00; const plans	5/3/2000
3556	RTD Fastracks West at Federal Blvd		<input type="checkbox"/>	<input checked="" type="checkbox"/> 9/15/2010	<input checked="" type="checkbox"/> 7/3/2012	<input checked="" type="checkbox"/> 6/25/2015	5-4S-68W				New bridge and drop structure No.1, channel work. Ends at Decatur.	7/3/2012

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3635	RTD Fastracks West outlet protection		<input type="checkbox"/>	<input checked="" type="checkbox"/> 10/14/2009	<input checked="" type="checkbox"/> 11/14/2012	<input checked="" type="checkbox"/> 6/25/2015	6-4S-68W; 1-4S-69W		Dry Gulch FHAD	Multiple storm sewer outfalls. See 3572, Denver outfall also to Dry Gulch.	11/14/2012
3573	RTD Fastracks West Oxbow Area		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/7/2011	<input checked="" type="checkbox"/> 5/15/2012	<input checked="" type="checkbox"/> 6/25/2015	5-4S-68W			Drop structure No.2 and 3, channel improvements and channel relocation.	5/15/2012
3543	RTD West Knox Court roadway cross		<input type="checkbox"/> 7/1/2009	<input checked="" type="checkbox"/> 7/1/2009	<input checked="" type="checkbox"/> 2/3/2011	<input checked="" type="checkbox"/> 6/25/2015	5-4S-68W			New culvert crossing at Knox Ct, check structure and boulder edging.	2/3/2011
2935	Rude Recreation Center		<input checked="" type="checkbox"/> 2/13/2002	<input checked="" type="checkbox"/> 2/13/2002	<input checked="" type="checkbox"/> 9/24/2007	<input checked="" type="checkbox"/> 9/24/2007	5-4S-68W			One storm sewer outfall. Remove sediment blocking pipe.	9/24/2007
3425	Vrain St. Townhomes		<input type="checkbox"/> 7/31/2007	<input type="checkbox"/> 7/31/2007	<input type="checkbox"/>	<input type="checkbox"/>	6-4S-68W	101+50 105+50	Lakewood Gulch FHAD	11/27/06: Staying out of floodplain but ownership unclear. 2/15/07; plans, FW issue. 7/31/07; plans, still a FW issue.	7/31/2007
<b>MONTBELLO DRAINAGE</b>											
2287	51st Ave. Channel	Montbello	<input checked="" type="checkbox"/> 6/24/1998	<input checked="" type="checkbox"/> 9/22/1998	<input checked="" type="checkbox"/> 1/6/2000	<input type="checkbox"/>	18,19-3S-66W	235+00 257+00	Irondale OSP	Open channel.	1/6/2000
2220	Chambers II Detention Pond		<input checked="" type="checkbox"/> 4/9/1998	<input checked="" type="checkbox"/> 8/24/1998	<input checked="" type="checkbox"/> 3/3/2009	<input checked="" type="checkbox"/> 3/3/2009	20-3S-66W	303+00 320+00	Irondale Gulch OSP	Detention pond and inlets	3/3/2009
2260	Chambers II Detention Pond Outlet		<input checked="" type="checkbox"/> 4/9/1998	<input checked="" type="checkbox"/> 8/27/1998	<input checked="" type="checkbox"/> 1/10/2000	<input checked="" type="checkbox"/> 3/3/2009	20-3S-66W	303+00 303+00	Irondale Gulch OSP	Chambers II pond outlet works.	3/3/2009
3519	Church of God in Christ		<input checked="" type="checkbox"/> 2/9/2009	<input checked="" type="checkbox"/> 2/9/2009	<input type="checkbox"/>	<input type="checkbox"/>	19-3S-66W			One outfall to concrete channel	2/9/2009
3407	Homewood Suites by Hilton	IL-3	<input type="checkbox"/> 5/23/2006	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 8/3/2006	20-3S-66W	325+00 335+00	Irondale OSP 1990	5/23/06: Site plan. Channel doesn't meet USDCM. 8/3/06: They don't want to design a maint eligible channel. Declared not eligible.	8/7/2006
2367	Stapleton Business Center 47th Aven		<input checked="" type="checkbox"/> 12/11/1998	<input checked="" type="checkbox"/> 12/11/1998	<input type="checkbox"/>	<input type="checkbox"/>	22-3S-67W			Culvert crossing at the Havana Channel. 11/5/98: numerous concept and design problems. See also 2528.	11/5/1998
2528	Stapleton Business Center 48th & 49t		<input checked="" type="checkbox"/> 7/20/2000	<input checked="" type="checkbox"/> 7/20/2000	<input type="checkbox"/>	<input type="checkbox"/>	15-3S-67W			Box culvert crossings of Havana Channel, see also 2367. 6/22/00: letter responding to CBC request.	7/24/2000
1256	UP Realty Co.		<input checked="" type="checkbox"/> 6/10/1992	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20-3S-66W	302+00 350+00	Irondale Gulch OSP		7/1/1992
<b>SAND CREEK</b>											
1491	Bluff Lake		<input checked="" type="checkbox"/> 5/31/1994	<input checked="" type="checkbox"/> 6/23/1999	<input type="checkbox"/>	<input type="checkbox"/>	26-3S-67W	316+00 350+00	Sand Creek FHAD	Some const done in summer of 1995. See file. 3/2/99: reviewed const. Plans, needs some revisions. 6/23/99: approved plans for phase 3.	6/23/1999
2577	Bridge Scour Design		<input checked="" type="checkbox"/> 4/7/2000	<input type="checkbox"/> 6/21/2000	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W			Review covers the 47th Avenue and Smith Road bridges	4/7/2000
3681	CPB Stapleton Dist IV Phase 2 Outfal		<input checked="" type="checkbox"/> 11/27/2013	<input checked="" type="checkbox"/> 11/27/2013	<input type="checkbox"/>	<input type="checkbox"/>	21,22-3S-67W			Regional WQ and outfall. 5/9/13; plans & rpt. 10/15/13 plans & rpt, largely non-responsive to WQ Pond comments. Denver confirms they are not requesting eligibility for the regional WQ pond.	11/27/2013
3788	Eagle P3 Sand Creek Regional Trail		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0,0,0--; 0,0,0--	252+00 252+00	1977 Sand Creek FHAD	Single pipe outfall to Sand Creek 1/29/2015: Comments returned	1/29/2015
818	Ethelene Glycol System @ Stapleton		<input checked="" type="checkbox"/> 10/28/1987	<input checked="" type="checkbox"/> 2/25/1988	<input type="checkbox"/> 1/30/1989	<input type="checkbox"/>	21-3S-67W	254+50 269+00	Sand Cr. MP		3/28/1989
2717	Executive Warehouses		<input checked="" type="checkbox"/> 11/21/2000	<input checked="" type="checkbox"/> 11/21/2000	<input type="checkbox"/>	<input type="checkbox"/>	20-3S-67W				11/27/2000
843	Havana St. Bridge @ Sand Creek		<input checked="" type="checkbox"/> 11/5/1987	<input checked="" type="checkbox"/> 1/30/1989	<input type="checkbox"/> 10/9/1990	<input type="checkbox"/>	26-3S-67W	311+00 318+00	Sand Cr. FHAD		11/1/1990
3552	Sand Creek Crossing - Metro Wastew		<input checked="" type="checkbox"/> 7/27/2010	<input checked="" type="checkbox"/> 8/18/2010	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W			drop structure	8/18/2010

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
3470	Sand Creek Drop Structure at Quebec		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 9/20/2007	21-3S-67W			Declared in-eligible due to construction problems.	9/20/2007
3471	Sand Creek Metro Drop Structure		<input checked="" type="checkbox"/> 7/10/2006	<input checked="" type="checkbox"/> 7/10/2006	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W				9/20/2007
3702	Sand Creek Parallel Interceptor Repai		<input type="checkbox"/> 1/28/2014	<input checked="" type="checkbox"/> 1/28/2014	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W	230+00 255+00	Sand Ck MDP	after flooding interceptor repair, one outfall, bank stabilization	3/20/2014
3655	Sand Creek trail Imp. At 47th Ave		<input type="checkbox"/> 11/1/2012	<input checked="" type="checkbox"/> 12/12/2012	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W			trail by Quebec	12/12/2012
2132	Stapleton Business Center Filing No.	ML2L	<input checked="" type="checkbox"/> 3/10/1997	<input type="checkbox"/> 5/29/1998	<input type="checkbox"/>	<input type="checkbox"/>	15,22-3S-67W	0+00 24+00	Stapleton OSP	5/12/98: See letter this date. 5/29/98: Probs with design.	6/4/1998
2130	Stapleton Business Center Filing No.	ML2R	<input checked="" type="checkbox"/> 3/10/1997	<input type="checkbox"/> 5/29/1998	<input type="checkbox"/> 5/29/1998	<input type="checkbox"/> 5/29/1998	15-3S-67W	0+00 19+00	Stapleton OSP	5/12/98: See letter this date. 5/29/98: Putting long reach in pipe. Channel is 3:1 side slopes.	6/4/1998
2131	Stapleton Business Center Filing No.	ML2	<input checked="" type="checkbox"/> 3/10/1997	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 5/29/1998	15-3S-67W	47+00 69+00	Stapleton OSP	5/12/98: See letter this date. 5/29/98: Temp retention pond. Could be eligible when converted to channel.	6/4/1998
3229	Stapleton Filing 14		<input checked="" type="checkbox"/> 6/14/2004	<input type="checkbox"/> 6/14/2004	<input type="checkbox"/>	<input type="checkbox"/>	16-3S-67W	0+00 24+00	Stapleton OSP	Impact basin outfall adjacent to 49th Avenue bridge. 6/14/04; plans & rpt.	6/14/2004
3308	Stapleton Filing 15		<input checked="" type="checkbox"/> 1/5/2005	<input checked="" type="checkbox"/> 1/5/2005	<input type="checkbox"/>	<input type="checkbox"/>	27-3S-67W			One grouted boulder outfall. Contacted on 3/25/15 for maintenance assistance on repairs. Not maintenance eligible because no construction approval or final inspection.	3/26/2015
3396	Stapleton Filing 18		<input type="checkbox"/> 5/12/2006	<input type="checkbox"/> 5/12/2006	<input type="checkbox"/>	<input type="checkbox"/>	28-3S-67W			Three outfalls. 4/4/06; plans. 5/12/06; plans & rpt.	5/12/2006
3696	Stapleton Filing 41 & 45		<input checked="" type="checkbox"/> 11/15/2013	<input checked="" type="checkbox"/> 3/26/2014	<input type="checkbox"/>	<input type="checkbox"/>	15,16-3S-67W		Stapleton OSP	Regional Detention Basin 101, channels, outfalls & roadway crossings  3/19/14-Review of design for Regional detention basin 101, channels, and outfalls.  3/26/14-Design Approval for F45 only	3/26/2014
3695	Stapleton Filing 45 Outfall		<input checked="" type="checkbox"/> 11/11/2013	<input checked="" type="checkbox"/> 12/12/2013	<input type="checkbox"/>	<input type="checkbox"/>	16-3S-67W		Stapleton OSP	Sand Creek Outfall only, 11/11/13 plans	12/12/2013
3786	Stapleton Filing 47		<input type="checkbox"/>	<input type="checkbox"/> 3/24/2015	<input type="checkbox"/>	<input type="checkbox"/>	15,0,0-3S-67W; 0,0,0--		Stapleton OSP	Connecting to the upstream end of Stapleton Filing 45 at Central Park Blvd; Prairie Meadow Drive Channel with numerous pipe outfalls 1/26/2015: Returned comments 3/24/2015: Returned minor comments	3/24/2015
3634	Stapleton North Filing 36 Pond 102		<input type="checkbox"/> 5/15/2012	<input checked="" type="checkbox"/> 10/22/2012	<input type="checkbox"/>	<input type="checkbox"/>	15,16-3S-67W		Stapleton OSP	pond 102, comm 7/3/12,	10/22/2012
2575	Swift Transportation		<input checked="" type="checkbox"/> 6/16/2000	<input checked="" type="checkbox"/> 9/19/2000	<input type="checkbox"/>	<input type="checkbox"/>	21-3S-67W			One storm sewer outfall to Sand Creek.	9/21/2000
3549	UPRR freight bridge at Sand Creek		<input type="checkbox"/> 6/6/2010	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21,27,28-3S-67W			freight bridge crossing	8/10/2010
<b>SANDERSON GULCH</b>											
646	Java Way Outfall		<input checked="" type="checkbox"/> 8/18/1987	<input checked="" type="checkbox"/> 2/22/1989	<input type="checkbox"/>	<input type="checkbox"/>	20-4S-68W	107+50 108+50	Sanderson Gulch FHAD	UDFCD is currently maintaining this reach of Sanderson Gulch; existing checks have been grouted...	3/1/1989
3588	Sanderson Gulch Park		<input type="checkbox"/>	<input checked="" type="checkbox"/> 6/2/2010	<input checked="" type="checkbox"/> 7/11/2012	<input checked="" type="checkbox"/> 11/14/2012	20-4S-68W			one storm sewer outfall	11/14/2012



ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
<b>SLOANS LAKE DRAINAGE</b>											
934	Sloan Lake Sedimentation Basins	South	<input type="checkbox"/> 7/14/1988	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31-3S-68W	121+00 122+00	Sloans Lake FHAD	Would change District channel to detention pond. Possible adverse impacts on upstream channel.	7/27/1988
857	Sloans Lake Schd. I	D-G	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	31-3S-68W	130+00 134+25	Sloans Lake MP	District project.	11/19/1987
<b>SOUTH PLATTE RIVER</b>											
3692	31st and 36th Street Outfall		<input type="checkbox"/> 11/19/2013	<input type="checkbox"/> 11/19/2013	<input type="checkbox"/>	<input type="checkbox"/>	22-3S-68W			aka River North Outfall to SPR 11/19/13 plans	11/19/2013
3582	Alameda/I-25 Bridge		<input type="checkbox"/>	<input checked="" type="checkbox"/> 8/4/2009	<input type="checkbox"/>	<input type="checkbox"/>	16-4S-68W			three outfalls	5/10/2011
3608	Asbury Outfall to SPR		<input type="checkbox"/>	<input checked="" type="checkbox"/> 12/21/2011	<input type="checkbox"/>	<input type="checkbox"/>	27,28-4S-68W			one outfall	12/21/2011
3767	Broadstone RiNo		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/12/2015	<input type="checkbox"/>	<input type="checkbox"/>	27,0,0-3S-68W; 0,0,0--			12/3/2014: Single pipe outfall to the SPR in the RiNo area. Provided comments on CDs. 2/12/2015: Design Approved	2/12/2015
3759	Great Divide Brewing Company		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/12/2015	<input checked="" type="checkbox"/> 6/26/2015	<input type="checkbox"/>	22,0,0-3S-68W; 0,0,0--			10/17/2014: Proposed outfall to SPR. Recommended tying to 33rd St outfall 2/12/2015: Single outfall to SPR. Design Approved.	2/12/2015
3583	I-25 /Bronco Arch Bridge Repl.		<input type="checkbox"/>	<input checked="" type="checkbox"/> 4/11/2011	<input type="checkbox"/>	<input type="checkbox"/>	32-4S-68W			Arch bridge replacement, one storm sewer outfall	4/11/2011
3581	I-25 /Santa Fe Interchange project		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/1/2011	<input type="checkbox"/>	<input type="checkbox"/>	16-4S-68W			Single outfall.	5/10/2011
3741	I-25 Phase 4 Reconstruction		<input type="checkbox"/>	<input checked="" type="checkbox"/> 7/17/2014	<input type="checkbox"/>	<input type="checkbox"/>	15,16,0-4S-68W; 0,0,0--	1470+00 1476+00	1985 South Platte River FHAD	7/17/2014: Design Approval Letter	7/17/2014
2417	Norhside Treatment Plant Park		<input checked="" type="checkbox"/> 1/11/1999	<input checked="" type="checkbox"/> 1/11/1999	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-67W	1070+00 1080+00	South Platte FHAD		3/15/1999
2568	Northside Park		<input checked="" type="checkbox"/> 1/11/1999	<input checked="" type="checkbox"/> 1/11/1999	<input type="checkbox"/>	<input type="checkbox"/>	14-3S-68W			Minor levee impact	1/11/1999
3307	Six Flags Elitch Gardens Parking Lot		<input checked="" type="checkbox"/> 1/5/2005	<input checked="" type="checkbox"/> 1/5/2005	<input type="checkbox"/>	<input type="checkbox"/>	32-3S-68W			One outfall. 9/30/04; plans & rpt. 11/11/04; plans & rpt. 1/5/05; pdf plans.	1/5/2005
3776	South Platte River CRT bridge Fastra		<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	27-3S-68W			Fastracks bridge on SPR	12/8/2014
3720	US 6 Bridges Design Build		<input type="checkbox"/>	<input checked="" type="checkbox"/> 4/17/2014	<input type="checkbox"/>	<input type="checkbox"/>	4,8,9-4S-68W; 0,0,0--	1365+00 1378+00	1985 FHAD SPR Denver Metro Area	4/17/14 Design Approved for Outfall B0	4/17/2014
3731	US 6 Bridges Design Build		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/19/2014	<input type="checkbox"/>	<input type="checkbox"/>	4,8,9-4S-68W; 0,0,0--	1365+00 1378+00	1985 FHAD SPR Denver Metro Area	design approved for 3 outfalls, C1, K1, P1	6/10/2014
<b>THIRD CREEK</b>											
2524	DIA Detention Pond T-239		<input checked="" type="checkbox"/> 11/29/1999	<input checked="" type="checkbox"/> 4/5/2000	<input checked="" type="checkbox"/> 12/12/2000	<input checked="" type="checkbox"/> 12/16/2002	12-2S-66W	578+00 595+00	Third Creek OSP	11/29/99: design details on 95% plans. 12/14/99: hydrologic modeling comments, see letter.4/5/00; 1/25 comments must be included in const. & as-built plans.	12/16/2002
<b>WEIR GULCH</b>											
2063	9th Ave./Federal Blvd. Storm Sewer		<input checked="" type="checkbox"/> 8/31/1994	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> 7/5/1996	5-4S-68W			Asked them to tell us when const. started and they didn't. Frank thinks there could be problems.	7/5/1996
2715	Barberry Flea Market		<input checked="" type="checkbox"/> 7/17/2000	<input checked="" type="checkbox"/> 7/17/2000	<input checked="" type="checkbox"/> 6/28/2002	<input type="checkbox"/>	5-4S-68W			one storm sewer outfall	7/11/2002
2574	Eighth Avenue Federal to Knox		<input type="checkbox"/> 3/16/2000	<input type="checkbox"/> 3/16/2000	<input type="checkbox"/>	<input type="checkbox"/>	5-4S-68W			Storm sewer outfall from City project. 3/16/00: 95% plans, lacks outfall detail.	4/3/2000

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2984	Lily of the Valley Church		<input checked="" type="checkbox"/> 5/16/2002	<input checked="" type="checkbox"/> 5/15/2002	<input checked="" type="checkbox"/> 7/16/2007	<input checked="" type="checkbox"/> 7/16/2007	18-4S-68W			One storm sewer outfall.	7/16/2007
3804	Weir Gulch Culvert Repair		<input type="checkbox"/>	<input checked="" type="checkbox"/> 8/17/2015	<input type="checkbox"/>	<input type="checkbox"/>	0,0,0--; 0,0,0--			3/24/2015: Review and comments	8/17/2015
<b>WEST FORK SECOND CREEK</b>											
3746	High Point at DIA-West Fork of Sec		<input type="checkbox"/>	<input type="checkbox"/> 6/25/2015	<input type="checkbox"/>	<input type="checkbox"/>	34,0,0-2S-66W; 0,0,0--			8/18/2014: Concept plan shows 4 vertical drops in West Fork. Discouraged vertical drops in comments. 6/25/2015: Returned review comments on double GSB drop	6/25/2015
3511	Highpoint 71st & Tower Mixed Use		<input checked="" type="checkbox"/> 11/26/2008	<input checked="" type="checkbox"/> 11/26/2008	<input type="checkbox"/>	<input type="checkbox"/>	3-3S-66W			Summerfield Suites, two outfalls	11/26/2008
3522	Highpoint East Block (aka Filing 2)		<input checked="" type="checkbox"/> 4/14/2009	<input checked="" type="checkbox"/> 6/3/2009	<input type="checkbox"/>	<input type="checkbox"/>	3-3S-66W			One outfall. 1/22/09; plans & rpt. 4/14/09; plans & spec	6/3/2009
3430	Highpoint Filing 1		<input checked="" type="checkbox"/> 1/3/2008	<input checked="" type="checkbox"/> 1/3/2008	<input type="checkbox"/>	<input type="checkbox"/>	3-3S-66W		Second Creek OSP	One storm sewer outfall. North Block 1.	1/3/2008
3409	Highpoint Filing 2, Dunkirk Street		<input checked="" type="checkbox"/> 8/21/2006	<input checked="" type="checkbox"/> 3/18/2008	<input checked="" type="checkbox"/> 1/6/2011	<input type="checkbox"/>	3-3S-66W		Second Creek OSP	8/21/06; approved with reservation. 3/18/08; approved.	1/6/2011
3402	Highpoint Pond S-243		<input checked="" type="checkbox"/> 8/22/2006	<input checked="" type="checkbox"/> 9/26/2006	<input checked="" type="checkbox"/> 2/16/2009	<input type="checkbox"/>	34-2S-66W		Second Creek OSP	West Fork Second Creek Pond S-243. 4/17/06; plans & rpt. 6/1/06; plans & rpt. 8/22/06; plans & rpt.	2/16/2009
3464	Highpoint West Fork Second Creek C		<input checked="" type="checkbox"/> 8/23/2007	<input checked="" type="checkbox"/> 6/30/2008	<input type="checkbox"/>	<input type="checkbox"/>	3-3S-66W		Second Creek OSP	8/23/07; plans & rpt. 3/13/08; plans & rpt. 6/6/08; plans & rpt. Only d/s portion finished	7/1/2008
3540	Tower Road On-Ramp (DIA)		<input type="checkbox"/> 12/17/2009	<input type="checkbox"/> 8/17/2010	<input type="checkbox"/>	<input type="checkbox"/>	34-2S-66W		Second Creek OSP	Next to Highpoint Pond S-243.comments 7/15/10	8/17/2010
2319	Tower Road, 56th Ave. to Pena Blvd.		<input checked="" type="checkbox"/> 6/30/1998	<input checked="" type="checkbox"/> 8/6/1998	<input checked="" type="checkbox"/> 3/6/2001	<input type="checkbox"/>	34-2S-66W	85+00 85+00	Second Creek OSP	Design Discharge based on Gateway drainage plan, see also 2317 & 2318.	3/27/2001
3768	West Fork Second Creek culvert FasT		<input type="checkbox"/>	<input type="checkbox"/> 12/8/2014	<input type="checkbox"/>	<input type="checkbox"/>	3-3S-66W; 34-2S-66W		Second Creek OSP	FasTracks Eagle P3 East Corridor EC3E, connects to 3464, culvert crossing with drop structure	12/5/2014
<b>WESTERLY CREEK</b>											
3064	Lowry (Great Lawn Phase II Channel)		<input type="checkbox"/> 6/1/2001	<input type="checkbox"/> 6/1/2001	<input type="checkbox"/>	<input type="checkbox"/> 11/25/2002	9-4S-67W			Channel between Lowry Blvd & Sports Blvd. They refused to make changes we wanted. Just found out it has been constructed. NOT ELIGIBLE.	11/25/2002
3289	Lowry 8th Avenue Outfall	un-named	<input checked="" type="checkbox"/> 11/23/2004	<input checked="" type="checkbox"/> 6/24/2005	<input type="checkbox"/>	<input type="checkbox"/>	4-4S-67W			Outfall and temporary pilot channel within the future Kelly Road Dam natural area.	6/24/2005
3492	Lowry East Open Space Park		<input checked="" type="checkbox"/> 8/11/2010	<input checked="" type="checkbox"/> 8/11/2010	<input checked="" type="checkbox"/> 7/3/2012	<input type="checkbox"/>	9-4S-67W			Superceeds record 3073. 4/15/08 Plans & rpt. Dog Park at Westerly Ck Dam.	7/3/2012
2388	Lowry Great Lawn, Phase I	Lateral C	<input checked="" type="checkbox"/> 6/14/1999	<input checked="" type="checkbox"/> 6/14/1999	<input type="checkbox"/>	<input type="checkbox"/> 11/25/2002	9-4S-67W			1/14/99: plans very preliminary, detail needed. 4/5/99: drop details ok, otherwise not much improvement. Already constructed, NOT ELIGIBLE.	11/25/2002
3073	Lowry Westerly Creek Dam Outfall C		<input checked="" type="checkbox"/> 12/12/2002	<input checked="" type="checkbox"/> 2/21/2003	<input type="checkbox"/>	<input type="checkbox"/>	9-4S-67W			See also record 3064.	3/3/2003
3493	Lowry Wetlands Park		<input checked="" type="checkbox"/> 7/29/2010	<input checked="" type="checkbox"/> 7/29/2010	<input checked="" type="checkbox"/> 6/5/2012	<input type="checkbox"/>	4-4S-67W			Kelly Road Dam stream modifications. Also in Aurora.	6/5/2012
3193	Stapleton Filing 11		<input checked="" type="checkbox"/> 12/4/2003	<input checked="" type="checkbox"/> 4/13/2004	<input type="checkbox"/>	<input type="checkbox"/>	27-3S-67W			One storm sewer and one WQ pond outfall, see also 3213. 12/4/03; Plans & rpt. 4/1/04; plans & rpt.	4/13/2004

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT OK? DATE	DESIGN OK? DATE	CNSTRCTN OK? DATE	ELIGIBLE YES DATE	SEC TS R	STATIONING DS US	STATION REFERENCE	COMMENTS	LAST UPDATE
2999	Stapleton Westerly Creek Phase I		<input checked="" type="checkbox"/> 4/25/2002	<input type="checkbox"/> 11/22/2002	<input type="checkbox"/>	<input type="checkbox"/>	27-3S-67W	23+00 74+00	Westerly Creek FHAD, 1977	Original design approved 4/25/02. 11/22/02; plans & rpt for revised design retaining 1000 ft of 108-in rcp.	12/5/2002
3192	Stapleton Westerly Creek South		<input checked="" type="checkbox"/> 2/17/2004	<input checked="" type="checkbox"/> 2/17/2004	<input type="checkbox"/>	<input type="checkbox"/>	34-3S-67W	74+00 98+00	Westerly Creek FHAD, 1977		3/8/2004
3792	Westerly Creek North		<input type="checkbox"/>	<input checked="" type="checkbox"/> 2/9/2015	<input type="checkbox"/>	<input type="checkbox"/>	27,0,0-3S- 67W; 0,0,0--	0+00 22+50	2010 Westerly Creek MDP	Complete creek realignment and new outfall location to Sand creek. Extensive coordination during design with DCM and FPM. 2/9/2015: Design approved.	2/9/2015

**Legend**

- 1/1/95 Concept, design or construction approved as of the given date.
- 1/1/95 Concept, design or construction reviewed but not approved as of the given date.
- Concept, design, construction or final eligibility not yet considered.
- 1/1/95 Project not eligible for District maintenance assistance as of the given date.
- 1/1/95 **Project eligible for District maintenance assistance as of the given date.**

ID NO	PROJECT NAME	TRIBUTARY	CONCEPT		DESIGN		CNSTRCTN		ELIGIBLE		STATIONING		STATION REFERENCE	COMMENTS	LAST UPDATE
			OK?	DATE	OK?	DATE	OK?	DATE	YES	DATE	SEC	TS			